	2018				2021			
Receptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
28	15.0	15.0	0	Negligible	14.4	14.7	1	Negligible
29	14.8	14.8	0	Negligible	14.3	14.6	1	Negligible
30	14.7	14.7	0	Negligible	14.2	14.6	2	Negligible
31	14.4	14.4	0	Negligible	13.9	14.4	2	Negligible
32	14.3	14.3	0	Negligible	13.8	14.4	2	Negligible
33	14.2	14.2	0	Negligible	13.8	14.5	3	Negligible
34	14.3	14.3	0	Negligible	13.8	14.9	4	Negligible
35	14.5	14.5	0	Negligible	14.0	15.1	4	Negligible
36	14.5	14.5	0	Negligible	14.0	14.9	4	Negligible
37	14.8	14.8	0	Negligible	14.2	15.2	4	Negligible
38	14.8	14.8	0	Negligible	14.2	15.0	3	Negligible
39	14.3	14.3	0	Negligible	13.8	14.5	3	Negligible
40	14.8	14.8	0	Negligible	14.2	15.0	3	Negligible
41	15.0	15.0	0	Negligible	14.3	15.0	3	Negligible
42	15.3	15.3	0	Negligible	14.6	15.2	3	Negligible
43	15.2	15.2	0	Negligible	14.5	15.0	2	Negligible
44	14.3	14.3	0	Negligible	13.8	14.4	2	Negligible
45	15.8	15.8	0	Negligible	15.0	15.6	2	Negligible
46	14.3	14.3	0	Negligible	13.8	14.2	2	Negligible
47	14.3	14.3	0	Negligible	13.8	14.3	2	Negligible
48	14.3	14.3	0	Negligible	13.8	14.3	2	Negligible
49	14.2	14.2	0	Negligible	13.8	14.1	1	Negligible
50	14.3	14.3	0	Negligible	13.8	14.1	1	Negligible
51	15.0	15.0	0	Negligible	14.4	15.0	2	Negligible
52	15.1	15.1	0	Negligible	14.5	14.9	2	Negligible
53	15.0	15.0	0	Negligible	14.4	15.0	3	Negligible
54	15.0	15.0	0	Negligible	14.3	14.7	2	Negligible

	2018				2021			
Receptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
55	15.1	15.1	0	Negligible	14.5	15.0	2	Negligible
56	15.2	15.2	0	Negligible	14.5	15.1	2	Negligible
57	15.7	15.8	0	Negligible	14.9	15.6	3	Negligible
58	15.8	15.8	0	Negligible	15.0	15.5	2	Negligible
59	15.0	15.0	0	Negligible	14.3	14.8	2	Negligible
60	14.3	14.3	0	Negligible	13.8	15.4	6	Slight Adverse
61	14.2	14.2	0	Negligible	13.8	15.5	7	Slight Adverse
62	14.2	14.2	0	Negligible	13.8	14.4	2	Negligible
63	14.1	14.1	0	Negligible	13.7	15.0	5	Negligible
64	14.1	14.1	0	Negligible	13.6	16.1	10	Slight Adverse
65	14.1	14.1	0	Negligible	13.6	16.0	10	Slight Adverse
66	14.1	14.1	0	Negligible	13.7	15.8	9	Slight Adverse
67	14.0	14.0	0	Negligible	13.6	16.7	12	Moderate Adverse
68	14.0	14.0	0	Negligible	13.6	14.4	3	Negligible
69	14.0	14.0	0	Negligible	13.6	14.3	3	Negligible
70	14.0	14.0	0	Negligible	13.6	14.3	3	Negligible
71	14.0	14.0	0	Negligible	13.6	14.1	2	Negligible
72	14.0	14.0	0	Negligible	13.6	14.0	1	Negligible
73	13.9	13.9	0	Negligible	13.5	14.6	4	Negligible
74	14.1	14.1	0	Negligible	13.7	15.6	8	Slight Adverse
75	14.2	14.2	0	Negligible	13.7	14.7	4	Negligible
76	14.1	14.1	0	Negligible	13.6	16.2	10	Slight Adverse
77	14.1	14.1	0	Negligible	13.7	13.9	1	Negligible
78	14.2	14.2	0	Negligible	13.8	14.2	1	Negligible
79	14.0	14.0	0	Negligible	13.6	16.5	12	Moderate Adverse

	2018				2021			
Receptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
80	15.2	15.2	0	Negligible	14.5	15.1	2	Negligible
81	15.0	15.0	0	Negligible	14.4	15.0	3	Negligible
82	13.9	13.9	0	Negligible	13.5	14.3	3	Negligible
83	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
84	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
85	14.2	14.2	0	Negligible	13.7	14.3	2	Negligible
86	14.2	14.2	0	Negligible	13.8	14.3	2	Negligible
87	14.2	14.2	0	Negligible	13.8	14.3	2	Negligible
88	14.2	14.2	0	Negligible	13.7	14.0	1	Negligible
89	14.0	14.0	0	Negligible	13.6	14.0	1	Negligible
90	13.9	13.9	0	Negligible	13.5	14.1	2	Negligible
91	13.9	13.9	0	Negligible	13.5	15.1	6	Slight Adverse
92	14.0	14.0	0	Negligible	13.6	14.0	2	Negligible
93	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible
Third Floor Level (10.5m above ground)								
1	14.2	14.2	0	Negligible	13.7	14.1	1	Negligible
2	14.2	14.2	0	Negligible	13.8	14.2	2	Negligible
3	14.3	14.3	0	Negligible	13.8	14.6	3	Negligible
4	14.4	14.4	0	Negligible	13.9	14.5	2	Negligible
5	14.3	14.3	0	Negligible	13.9	14.4	2	Negligible
6	14.3	14.3	0	Negligible	13.9	14.4	2	Negligible
7	14.3	14.3	0	Negligible	13.9	14.4	2	Negligible
8	14.3	14.3	0	Negligible	13.9	14.4	2	Negligible
9	14.5	14.5	0	Negligible	14.0	14.3	1	Negligible
10	14.5	14.5	0	Negligible	14.0	14.3	1	Negligible
11	14.5	14.5	0	Negligible	14.0	14.2	1	Negligible
12	14.3	14.3	0	Negligible	13.9	14.1	1	Negligible

	2018				2021			
Receptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
13	14.4	14.4	0	Negligible	14.0	14.1	1	Negligible
14	14.6	14.6	0	Negligible	14.1	14.3	1	Negligible
15	14.6	14.6	0	Negligible	14.1	14.3	1	Negligible
16	14.6	14.6	0	Negligible	14.1	14.3	1	Negligible
17	14.6	14.6	0	Negligible	14.1	14.3	1	Negligible
18	14.6	14.6	0	Negligible	14.2	14.3	1	Negligible
19	14.6	14.6	0	Negligible	14.1	14.3	1	Negligible
20	14.6	14.6	0	Negligible	14.1	14.3	1	Negligible
21	14.6	14.6	0	Negligible	14.1	14.3	1	Negligible
22	14.6	14.6	0	Negligible	14.1	14.3	1	Negligible
23	14.5	14.5	0	Negligible	14.1	14.3	1	Negligible
24	14.6	14.6	0	Negligible	14.1	14.4	1	Negligible
25	14.5	14.5	0	Negligible	14.1	14.3	1	Negligible
26	14.5	14.5	0	Negligible	14.1	14.4	1	Negligible
27	14.5	14.5	0	Negligible	14.1	14.4	1	Negligible
28	14.5	14.5	0	Negligible	14.1	14.4	1	Negligible
29	14.5	14.5	0	Negligible	14.0	14.3	1	Negligible
30	14.4	14.4	0	Negligible	14.0	14.3	1	Negligible
31	14.3	14.3	0	Negligible	13.9	14.4	2	Negligible
32	14.2	14.2	0	Negligible	13.8	14.4	2	Negligible
33	14.2	14.2	0	Negligible	13.8	14.4	3	Negligible
34	14.2	14.2	0	Negligible	13.8	14.8	4	Negligible
35	14.2	14.2	0	Negligible	13.8	14.9	4	Negligible
36	14.2	14.2	0	Negligible	13.8	14.7	4	Negligible
37	14.2	14.2	0	Negligible	13.8	14.7	4	Negligible
38	14.2	14.2	0	Negligible	13.8	14.5	3	Negligible
39	14.2	14.2	0	Negligible	13.8	14.4	3	Negligible

	2018				2021			
Receptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
40	14.2	14.2	0	Negligible	13.8	14.5	3	Negligible
41	14.3	14.3	0	Negligible	13.8	14.5	3	Negligible
42	14.3	14.3	0	Negligible	13.8	14.5	3	Negligible
43	14.3	14.3	0	Negligible	13.8	14.3	2	Negligible
44	14.2	14.2	0	Negligible	13.7	14.3	2	Negligible
45	14.2	14.2	0	Negligible	13.7	14.3	2	Negligible
46	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible
47	14.2	14.2	0	Negligible	13.7	14.2	2	Negligible
48	14.2	14.2	0	Negligible	13.7	14.2	2	Negligible
49	14.1	14.1	0	Negligible	13.7	14.0	1	Negligible
50	14.1	14.1	0	Negligible	13.7	14.0	1	Negligible
51	14.2	14.2	0	Negligible	13.8	14.4	2	Negligible
52	14.3	14.3	0	Negligible	13.8	14.3	2	Negligible
53	14.3	14.3	0	Negligible	13.8	14.4	2	Negligible
54	14.3	14.3	0	Negligible	13.8	14.2	2	Negligible
55	14.3	14.3	0	Negligible	13.8	14.4	2	Negligible
56	14.4	14.4	0	Negligible	13.9	14.5	2	Negligible
57	14.4	14.4	0	Negligible	13.9	14.6	3	Negligible
58	14.4	14.4	0	Negligible	13.9	14.5	2	Negligible
59	14.3	14.3	0	Negligible	13.9	14.3	2	Negligible
60	14.1	14.1	0	Negligible	13.7	15.2	6	Slight Adverse
61	14.1	14.1	0	Negligible	13.7	15.6	8	Slight Adverse
62	14.2	14.2	0	Negligible	13.8	14.4	3	Negligible
63	14.1	14.1	0	Negligible	13.7	15.0	5	Negligible
64	14.0	14.0	0	Negligible	13.6	16.1	10	Slight Adverse
65	14.1	14.1	0	Negligible	13.6	16.0	10	Slight Adverse
66	14.1	14.1	0	Negligible	13.7	15.8	8	Slight Adverse

	2018				2021			
Receptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
67	14.0	14.0	0	Negligible	13.6	16.7	12	Moderate Adverse
68	14.0	14.0	0	Negligible	13.6	14.5	4	Negligible
69	14.0	14.0	0	Negligible	13.6	14.3	3	Negligible
70	14.0	14.0	0	Negligible	13.6	14.3	3	Negligible
71	14.0	14.0	0	Negligible	13.6	14.1	2	Negligible
72	14.0	14.0	0	Negligible	13.6	14.0	1	Negligible
73	13.9	13.9	0	Negligible	13.5	14.6	4	Negligible
74	14.1	14.1	0	Negligible	13.7	15.6	8	Slight Adverse
75	14.2	14.2	0	Negligible	13.7	14.7	4	Negligible
76	14.1	14.1	0	Negligible	13.6	16.3	11	Moderate Adverse
77	14.1	14.1	0	Negligible	13.7	13.9	1	Negligible
78	14.2	14.2	0	Negligible	13.8	14.2	2	Negligible
79	14.0	14.0	0	Negligible	13.6	16.5	12	Moderate Adverse
80	14.3	14.3	0	Negligible	13.8	14.4	2	Negligible
81	14.3	14.3	0	Negligible	13.8	14.5	3	Negligible
82	13.9	13.9	0	Negligible	13.5	14.3	3	Negligible
83	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
84	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
85	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
86	14.2	14.2	0	Negligible	13.8	14.3	2	Negligible
87	14.2	14.2	0	Negligible	13.8	14.3	2	Negligible
88	14.2	14.2	0	Negligible	13.7	14.0	1	Negligible
89	14.0	14.0	0	Negligible	13.6	14.0	1	Negligible
90	13.9	13.9	0	Negligible	13.5	14.1	2	Negligible

Receptor	2018				2021			
	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
91	13.9	13.9	0	Negligible	13.5	15.1	6	Slight Adverse
92	14.0	14.0	0	Negligible	13.6	14.1	2	Negligible
93	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible
Roof Terrace Levels (12m above ground)								
UTC	14.2	14.2	0	Negligible	13.7	14.9	5	Negligible
Ground Level (1.5m above ground)								
TA	14.0	14.0	0	Negligible	13.6	15.7	8	Slight Adverse
TB	14.2	14.2	0	Negligible	13.8	14.5	3	Negligible
TC	14.2	14.2	0	Negligible	13.7	14.3	2	Negligible
TD	14.2	14.2	0	Negligible	13.8	14.3	2	Negligible
TE1	14.6	14.6	0	Negligible	14.1	14.5	2	Negligible
TE2	14.5	14.5	0	Negligible	14.0	14.4	2	Negligible
Second Floor Level (7.5m above ground)								
TA	14.0	14.0	0	Negligible	13.6	15.8	9	Slight Adverse
TB	14.2	14.2	0	Negligible	13.7	14.4	3	Negligible
TC	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
TD	14.2	14.2	0	Negligible	13.7	14.3	2	Negligible
TE1	14.5	14.5	0	Negligible	14.0	14.4	2	Negligible
TE2	14.4	14.4	0	Negligible	13.9	14.4	2	Negligible
Fourth Floor Level (13.5m above ground)								
TA	14.0	14.0	0	Negligible	13.6	16.0	10	Slight Adverse
TB	14.1	14.1	0	Negligible	13.7	14.4	3	Negligible
TC	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
TD	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
TE1	14.3	14.3	0	Negligible	13.9	14.3	2	Negligible
TE2	14.3	14.3	0	Negligible	13.8	14.3	2	Negligible
Sixth Floor Level (19.5m above ground)								

Receptor	2018				2021			
	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
TA	13.9	13.9	0	Negligible	13.5	16.3	11	Moderate Adverse
TB	14.1	14.1	0	Negligible	13.7	14.4	3	Negligible
TC	14.1	14.1	0	Negligible	13.7	14.3	3	Negligible
TD	14.1	14.1	0	Negligible	13.7	14.3	2	Negligible
TE1	14.2	14.2	0	Negligible	13.8	14.2	2	Negligible
TE2	14.2	14.2	0	Negligible	13.8	14.2	2	Negligible
Eighth Floor Level (25.5m above ground)								
TA	13.9	13.9	0	Negligible	13.5	16.8	13	Moderate Adverse
TB	14.0	14.0	0	Negligible	13.6	14.4	3	Negligible
TC	14.0	14.0	0	Negligible	13.6	14.3	3	Negligible
TD	14.0	14.0	0	Negligible	13.6	14.3	3	Negligible
TE1	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible
TE2	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible
Tenth Floor Level (31.5m above ground)								
TA	13.9	13.9	0	Negligible	13.5	17.3	15	Moderate Adverse
TB	14.0	14.0	0	Negligible	13.6	14.4	3	Negligible
TC	14.0	14.0	0	Negligible	13.6	14.3	3	Negligible
TD	14.0	14.0	0	Negligible	13.6	14.3	3	Negligible
TE1	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible
TE2	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible
Twelfth Floor Level (37.5m above ground)								
TA	13.9	13.9	0	Negligible	13.5	17.9	18	Moderate Adverse
TB	14.0	14.0	0	Negligible	13.6	14.4	3	Negligible
TC	14.0	14.0	0	Negligible	13.6	14.4	3	Negligible

	2018				2021			
Receptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor	Without Scheme Concentration	With Scheme Concentration	Change (% of AQAL)	Impact Descriptor
TD	14.0	14.0	0	Negligible	13.6	14.4	3	Negligible
TE1	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible
TE2	14.1	14.1	0	Negligible	13.7	14.2	2	Negligible

Table A6.9.8: Onsite concentrations in 2018 and 2021 (μg/m^3)

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Stadium (1.5m)	25.7	23.1	28.7	28.4	20.8	25.6	14.1	19.0
Stadium (50m)	24.1	21.9	26.5	26.1	20.5	25.4	14.0	18.9
Ground Level (1.5m above the ground)								
Walkway 1	27.8	24.6	31.5	31.2	21.2	22.2	14.4	15.4
Walkway 2	26.3	23.4	29.4	29.0	21.0	22.0	14.2	15.3
Walkway 3	25.9	23.1	28.9	28.5	20.9	21.9	14.2	15.2
Walkway 4	25.4	22.7	28.2	27.8	20.8	21.6	14.1	15.0
Walkway 5	25.2	22.6	27.9	27.5	20.7	21.1	14.1	14.5
Walkway 6	25.2	22.7	28.0	27.6	20.7	24.7	14.1	18.1
Walkway 7	26.0	23.3	29.1	28.8	20.9	26.1	14.1	19.4
Walkway 8	27.9	24.8	31.7	31.3	21.2	24.0	14.3	17.2
Walkway 9	40.1	34.3	48.0	47.8	23.5	24.0	15.7	16.4
First Floor Level (4.5m above the ground)								
Walkway 1	27.5	24.4	31.2	30.8	21.2	22.2	14.3	15.4
Walkway 2	26.2	23.4	29.3	28.9	20.9	22.0	14.2	15.3

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Walkway 3	25.8	23.1	28.8	28.4	20.9	21.9	14.2	15.2
Walkway 4	25.3	22.7	28.2	27.7	20.8	21.6	14.1	15.0
Walkway 5	25.1	22.5	27.9	27.4	20.7	21.1	14.1	14.5
Walkway 6	25.2	22.7	27.9	27.6	20.7	24.7	14.1	18.1
Walkway 7	25.9	23.3	29.0	28.7	20.8	26.1	14.1	19.4
Walkway 8	27.6	24.6	31.3	31.0	21.2	23.9	14.3	17.2
Walkway 9	36.0	31.1	42.6	42.3	22.7	23.3	15.2	16.0
Ground Level (1.5m above the ground)								
NE Building 1	25.3	22.8	28.1	27.8	20.7	25.5	14.1	18.9
NE Building 2	25.2	22.7	28.0	27.6	20.7	23.7	14.1	17.1
NE Building 3	25.4	22.9	28.2	27.9	20.7	22.8	14.1	16.2
First Floor Level (4.5m above the ground)								
NE Building 1	25.3	22.8	28.1	27.8	20.7	25.5	14.1	18.9
NE Building 2	25.2	22.7	27.9	27.6	20.7	23.7	14.1	17.1
NE Building 3	25.3	22.9	28.1	27.8	20.7	22.7	14.1	16.2
Second Floor Level (7.5m above the ground)								
NE Building 1	25.2	22.8	28.0	27.7	20.7	25.5	14.1	18.9
NE Building 2	25.1	22.7	27.9	27.5	20.7	23.7	14.0	17.1
NE Building 3	25.2	22.8	28.0	27.7	20.7	22.7	14.1	16.2
Third Floor Level (10.5m above the ground)								
NE Building 1	25.2	22.7	27.9	27.6	20.7	25.5	14.1	19.0
NE Building 2	25.0	22.6	27.8	27.4	20.7	23.7	14.0	17.1
NE Building 3	25.1	22.7	27.9	27.6	20.7	22.7	14.0	16.2
Ground Level (1.5m above the ground)								
Resi 1	25.4	23.1	28.2	28.2	20.7	21.2	14.1	14.6

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 2	25.2	22.6	28.0	27.5	20.7	21.2	14.1	14.6
Resi 3	25.3	22.7	28.1	27.7	20.8	21.6	14.1	14.9
Resi 4	25.5	22.8	28.4	27.9	20.8	21.7	14.1	15.0
Resi 5	25.6	25.0	28.5	30.8	20.8	21.2	14.1	14.4
Resi 6	25.4	22.8	28.3	28.0	20.8	21.1	14.1	14.4
Resi 7	25.8	23.1	28.8	28.4	20.9	21.7	14.2	15.0
Resi 8	26.1	23.3	29.2	28.9	20.9	21.8	14.2	15.1
Resi 9	27.6	24.9	31.2	31.5	21.3	21.9	14.4	15.0
Resi 10	27.2	24.5	30.6	30.8	21.2	21.8	14.3	15.0
Resi 11	25.7	23.0	28.7	28.3	20.9	21.5	14.1	14.8
Resi 12	25.5	22.9	28.4	28.0	20.8	21.2	14.1	14.6
Resi 13	26.8	24.2	30.1	30.3	21.1	21.2	14.3	14.4
Resi 14	26.8	24.3	30.1	30.5	21.1	21.0	14.3	14.2
Second Floor Level (7.5m above the ground)								
Resi 1	25.0	22.5	27.7	27.3	20.7	21.1	14.0	14.5
Resi 2	25.1	22.5	27.8	27.4	20.7	21.2	14.1	14.6
Resi 3	25.2	22.6	28.0	27.6	20.7	21.5	14.1	14.9
Resi 4	25.4	22.7	28.2	27.8	20.8	21.7	14.1	15.0
Resi 5	25.2	22.5	27.9	27.5	20.7	20.8	14.1	14.2
Resi 6	25.3	22.6	28.1	27.6	20.8	21.0	14.1	14.4
Resi 7	25.6	22.9	28.6	28.1	20.8	21.6	14.1	15.0
Resi 8	25.9	23.1	28.9	28.5	20.9	21.8	14.2	15.1
Resi 9	26.9	24.1	30.2	30.2	21.1	21.7	14.3	14.9
Resi 10	26.6	23.9	29.9	29.8	21.1	21.6	14.3	14.9
Resi 11	25.5	22.8	28.4	28.0	20.8	21.5	14.1	14.8

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 12	25.4	22.7	28.2	27.7	20.8	21.2	14.1	14.6
Resi 13	26.3	23.6	29.3	29.3	21.0	21.0	14.2	14.3
Resi 14	26.1	23.5	29.2	29.1	20.9	20.8	14.2	14.1
Fourth Floor Level (13.5m above the ground)								
Resi 1	24.9	22.3	27.5	27.0	20.6	21.1	14.0	14.5
Resi 2	25.0	22.3	27.6	27.1	20.7	21.2	14.0	14.6
Resi 3	25.1	22.4	27.8	27.3	20.7	21.5	14.1	14.9
Resi 4	25.2	22.6	28.0	27.5	20.7	21.6	14.1	15.0
Resi 5	24.9	22.3	27.6	27.0	20.7	20.7	14.0	14.1
Resi 6	25.0	22.4	27.7	27.2	20.7	21.0	14.1	14.4
Resi 7	25.3	22.7	28.2	27.7	20.8	21.6	14.1	15.0
Resi 8	25.5	22.8	28.4	28.0	20.8	21.7	14.1	15.1
Resi 9	25.5	22.8	28.4	27.9	20.8	21.4	14.1	14.8
Resi 10	25.4	22.6	28.2	27.7	20.8	21.4	14.1	14.7
Resi 11	25.2	22.6	28.0	27.5	20.8	21.4	14.1	14.8
Resi 12	25.1	22.4	27.8	27.3	20.7	21.2	14.1	14.5
Resi 13	25.1	22.4	27.8	27.2	20.7	20.8	14.1	14.2
Resi 14	24.9	22.3	27.6	27.0	20.7	20.5	14.0	14.0
Sixth Floor Level (19.5m above the ground)								
Resi 1	24.7	22.2	27.3	26.8	20.6	21.1	14.0	14.5
Resi 2	24.8	22.2	27.4	26.9	20.6	21.2	14.0	14.6
Resi 3	24.9	22.3	27.5	27.0	20.7	21.5	14.0	14.9
Resi 4	25.0	22.4	27.7	27.1	20.7	21.6	14.1	15.0
Resi 5	24.8	22.1	27.4	26.8	20.6	20.7	14.0	14.1
Resi 6	24.9	22.2	27.5	26.9	20.7	21.0	14.0	14.4

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 7	25.1	22.4	27.8	27.3	20.7	21.6	14.1	14.9
Resi 8	25.2	22.5	27.9	27.4	20.8	21.7	14.1	15.1
Resi 9	25.2	22.5	27.9	27.4	20.8	21.4	14.1	14.8
Resi 10	25.1	22.4	27.8	27.3	20.8	21.4	14.1	14.7
Resi 11	25.0	22.4	27.7	27.1	20.7	21.4	14.1	14.8
Resi 12	24.9	22.3	27.6	27.0	20.7	21.1	14.0	14.5
Resi 13	24.9	22.2	27.5	26.9	20.7	20.8	14.0	14.2
Resi 14	24.8	22.1	27.4	26.8	20.7	20.5	14.0	14.0
Eighth Floor Level (25.5m above the ground)								
Resi 1	24.6	22.0	27.1	26.6	20.6	21.1	14.0	14.5
Resi 2	24.6	22.1	27.2	26.6	20.6	21.2	14.0	14.6
Resi 3	24.7	22.1	27.3	26.7	20.6	21.5	14.0	14.9
Resi 4	24.8	22.2	27.4	26.8	20.7	21.6	14.0	15.0
Resi 5	24.6	22.0	27.2	26.6	20.6	20.7	14.0	14.2
Resi 6	24.7	22.1	27.3	26.6	20.6	20.9	14.0	14.3
Resi 7	24.8	22.2	27.5	26.9	20.7	21.5	14.0	14.9
Resi 8	24.9	22.3	27.5	27.0	20.7	21.7	14.1	15.1
Resi 9	24.9	22.3	27.6	27.0	20.7	21.4	14.1	14.8
Resi 10	24.9	22.2	27.5	26.9	20.7	21.3	14.1	14.7
Resi 11	24.8	22.2	27.4	26.8	20.7	21.4	14.0	14.8
Resi 12	24.7	22.1	27.3	26.7	20.7	21.1	14.0	14.5
Resi 13	24.7	22.1	27.3	26.7	20.7	20.8	14.0	14.2
Resi 14	24.7	22.0	27.2	26.6	20.6	20.5	14.0	14.0
Tenth Floor Level (31.5m above the ground)								
Resi 1	24.5	22.0	26.9	26.4	20.6	21.1	14.0	14.5

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 2	24.5	22.0	27.0	26.4	20.6	21.2	14.0	14.7
Resi 3	24.6	22.0	27.1	26.5	20.6	21.5	14.0	15.0
Resi 4	24.6	22.1	27.1	26.6	20.6	21.6	14.0	15.0
Resi 5	24.5	21.9	27.0	26.4	20.6	20.8	14.0	14.2
Resi 6	24.6	22.0	27.1	26.4	20.6	20.9	14.0	14.3
Resi 7	24.7	22.1	27.2	26.6	20.7	21.5	14.0	14.9
Resi 8	24.7	22.1	27.2	26.7	20.7	21.7	14.0	15.1
Resi 9	24.7	22.1	27.3	26.7	20.7	21.4	14.0	14.8
Resi 10	24.7	22.1	27.2	26.7	20.7	21.3	14.0	14.7
Resi 11	24.6	22.0	27.2	26.6	20.7	21.3	14.0	14.8
Resi 12	24.6	22.0	27.1	26.5	20.6	21.1	14.0	14.5
Resi 13	24.6	22.0	27.1	26.5	20.6	20.8	14.0	14.2
Resi 14	24.5	22.0	27.0	26.4	20.6	20.6	14.0	14.0
Twelfth Floor Level (37.5m above the ground)								
Resi 1	24.3	21.9	26.8	26.2	20.6	21.1	14.0	14.6
Resi 2	24.4	21.9	26.8	26.3	20.6	21.3	14.0	14.7
Resi 3	24.4	21.9	26.9	26.3	20.6	21.6	14.0	15.0
Resi 4	24.5	22.0	26.9	26.4	20.6	21.6	14.0	15.1
Resi 5	24.4	21.9	26.9	26.3	20.6	20.8	14.0	14.3
Resi 6	24.4	21.9	26.9	26.3	20.6	20.9	14.0	14.4
Resi 7	24.5	22.0	27.0	26.4	20.6	21.5	14.0	14.9
Resi 8	24.5	22.0	27.0	26.5	20.7	21.7	14.0	15.1
Resi 9	24.6	22.0	27.1	26.5	20.7	21.4	14.0	14.8
Resi 10	24.5	22.0	27.0	26.5	20.7	21.3	14.0	14.8
Resi 11	24.5	21.9	27.0	26.4	20.6	21.3	14.0	14.8

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 12	24.5	21.9	26.9	26.3	20.6	21.1	14.0	14.5
Resi 13	24.5	21.9	26.9	26.3	20.6	20.9	14.0	14.3
Resi 14	24.4	21.9	26.9	26.3	20.6	20.6	14.0	14.1
Fourteenth Floor Level (43.5m above the ground)								
Resi 1	24.2	21.8	26.6	26.1	20.5	21.1	14.0	14.6
Resi 2	24.3	21.8	26.7	26.1	20.6	21.3	14.0	14.8
Resi 3	24.3	21.8	26.7	26.2	20.6	21.5	14.0	15.0
Resi 4	24.3	21.9	26.8	26.2	20.6	21.7	14.0	15.1
Resi 5	24.3	21.8	26.7	26.1	20.6	20.9	14.0	14.3
Resi 6	24.3	21.8	26.8	26.2	20.6	21.0	14.0	14.4
Resi 7	24.4	21.9	26.8	26.3	20.6	21.6	14.0	15.0
Resi 8	24.4	21.9	26.8	26.3	20.6	21.7	14.0	15.1
Resi 9	24.4	21.9	26.9	26.3	20.6	21.4	14.0	14.8
Resi 10	24.4	21.9	26.9	26.3	20.6	21.4	14.0	14.8
Resi 11	24.4	21.9	26.8	26.2	20.6	21.4	14.0	14.8
Resi 12	24.4	21.8	26.8	26.2	20.6	21.2	14.0	14.6
Resi 13	24.4	21.8	26.8	26.2	20.6	20.9	14.0	14.3
Resi 14	24.3	21.8	26.8	26.2	20.6	20.7	14.0	14.1
Sixteenth Floor Level (49.5m above the ground)								
Resi 1	24.2	21.7	26.5	26.0	20.5	21.1	14.0	14.5
Resi 2	24.2	21.8	26.5	26.0	20.5	21.4	14.0	14.8
Resi 3	24.2	21.8	26.6	26.1	20.6	21.6	14.0	15.1
Resi 4	24.2	21.8	26.6	26.1	20.6	21.7	14.0	15.1
Resi 5	24.2	21.8	26.6	26.1	20.5	20.9	14.0	14.4
Resi 6	24.3	21.8	26.6	26.1	20.6	21.1	14.0	14.5

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 7	24.3	21.9	26.7	26.2	20.6	21.6	14.0	15.0
Resi 8	24.3	21.9	26.7	26.2	20.6	21.7	14.0	15.2
Resi 9	24.4	21.9	26.8	26.2	20.6	21.4	14.0	14.8
Resi 10	24.3	21.9	26.8	26.2	20.6	21.4	14.0	14.8
Resi 11	24.3	21.8	26.7	26.1	20.6	21.4	14.0	14.8
Resi 12	24.3	21.8	26.7	26.1	20.6	21.3	14.0	14.7
Resi 13	24.3	21.8	26.7	26.1	20.6	21.0	14.0	14.4
Resi 14	24.3	21.8	26.7	26.1	20.6	20.7	14.0	14.2
Eighteenth Floor Level (55.5m above the ground)								
Resi 1	24.1	21.8	26.4	25.9	20.5	21.3	13.9	14.8
Resi 2	24.1	21.8	26.5	26.0	20.5	21.4	14.0	14.9
Resi 3	24.2	21.8	26.5	26.0	20.5	21.5	14.0	15.0
Resi 4	24.2	21.8	26.5	26.1	20.6	21.5	14.0	14.9
Resi 5	24.2	21.8	26.5	26.0	20.5	21.1	14.0	14.5
Resi 6	24.2	21.8	26.6	26.0	20.6	21.2	14.0	14.6
Resi 7	24.2	21.9	26.6	26.1	20.6	21.3	14.0	14.8
Resi 8	24.3	22.0	26.6	26.3	20.6	21.4	14.0	14.9
Resi 9	24.3	22.0	26.7	26.3	20.6	21.1	14.0	14.6
Resi 10	24.3	21.9	26.7	26.2	20.6	21.1	14.0	14.6
Resi 11	24.2	21.8	26.6	26.1	20.6	21.2	14.0	14.6
Resi 12	24.2	21.8	26.6	26.0	20.6	21.2	14.0	14.7
Resi 13	24.2	21.8	26.6	26.0	20.6	21.0	14.0	14.5
Resi 14	24.2	21.8	26.6	26.0	20.6	21.0	14.0	14.4
Twentieth Floor Level (61.5m above the ground)								
Resi 1	24.0	21.8	26.3	25.9	20.5	21.7	13.9	15.2

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 2	24.0	21.8	26.4	25.9	20.5	21.8	13.9	15.2
Resi 3	24.1	21.8	26.4	26.0	20.5	21.7	14.0	15.2
Resi 4	24.1	21.8	26.5	26.0	20.6	21.7	14.0	15.1
Resi 5	24.1	21.7	26.5	25.9	20.5	21.3	14.0	14.7
Resi 6	24.1	21.7	26.5	26.0	20.5	21.3	14.0	14.8
Resi 7	24.2	21.8	26.5	26.1	20.6	21.5	14.0	14.9
Resi 8	24.2	21.9	26.6	26.1	20.6	21.6	14.0	15.0
Resi 9	24.2	21.8	26.6	26.1	20.6	21.2	14.0	14.7
Resi 10	24.2	21.8	26.6	26.1	20.6	21.2	14.0	14.7
Resi 11	24.2	21.8	26.5	26.0	20.6	21.3	14.0	14.7
Resi 12	24.2	21.8	26.5	26.0	20.6	21.4	14.0	14.8
Resi 13	24.2	21.8	26.5	26.0	20.6	21.2	14.0	14.6
Resi 14	24.1	21.7	26.5	26.0	20.5	21.1	14.0	14.6
Twenty-Second Floor Level (67.5m above the ground)								
Resi 1	24.0	21.7	26.3	25.9	20.5	22.0	13.9	15.5
Resi 2	24.0	21.7	26.3	25.9	20.5	22.1	13.9	15.6
Resi 3	24.1	21.7	26.4	25.9	20.5	21.9	14.0	15.4
Resi 4	24.1	21.8	26.4	25.9	20.5	21.8	14.0	15.3
Resi 5	24.1	21.7	26.4	25.9	20.5	21.4	14.0	14.9
Resi 6	24.1	21.7	26.4	25.9	20.5	21.5	14.0	15.0
Resi 7	24.1	21.8	26.5	26.0	20.6	21.6	14.0	15.0
Resi 8	24.2	21.8	26.5	26.0	20.6	21.7	14.0	15.1
Resi 9	24.2	21.8	26.6	26.0	20.6	21.3	14.0	14.8
Resi 10	24.2	21.8	26.5	26.0	20.6	21.3	14.0	14.8
Resi 11	24.1	21.7	26.5	25.9	20.6	21.4	14.0	14.8

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 12	24.1	21.7	26.4	25.9	20.5	21.6	14.0	15.0
Resi 13	24.1	21.7	26.5	25.9	20.6	21.3	14.0	14.7
Resi 14	24.1	21.7	26.4	25.9	20.5	21.2	14.0	14.7
Twenty-Fourth Floor Level (73.5m above the ground)								
Resi 1	23.9	21.7	26.2	25.8	20.5	22.2	13.9	15.7
Resi 2	24.0	21.7	26.3	25.8	20.5	22.3	13.9	15.8
Resi 3	24.0	21.7	26.3	25.9	20.5	22.0	14.0	15.5
Resi 4	24.1	21.7	26.4	25.9	20.5	21.9	14.0	15.4
Resi 11	24.1	21.7	26.4	25.9	20.6	21.4	14.0	14.9
Resi 12	24.1	21.7	26.4	25.9	20.5	21.6	14.0	15.1
Resi 1	23.9	21.7	26.2	25.8	20.5	22.2	13.9	15.7
Resi 2	23.9	21.7	26.2	25.8	20.5	22.3	13.9	15.8
Resi 3	24.0	21.7	26.3	25.8	20.5	22.0	13.9	15.5
Resi 4	24.0	21.7	26.3	25.9	20.5	22.0	14.0	15.4
Resi 11	24.1	21.7	26.4	25.9	20.6	21.5	14.0	15.0
Resi 12	24.1	21.7	26.4	25.8	20.5	21.7	14.0	15.1
Resi 1	23.9	21.6	26.2	25.7	20.5	22.0	13.9	15.5
Resi 2	23.9	21.6	26.2	25.7	20.5	22.1	13.9	15.6
Resi 3	24.0	21.7	26.3	25.8	20.5	21.9	13.9	15.4
Resi 4	24.0	21.7	26.3	25.8	20.5	22.0	14.0	15.4
Resi 11	24.1	21.7	26.4	25.8	20.6	21.6	14.0	15.0
Resi 12	24.0	21.7	26.3	25.8	20.5	21.6	14.0	15.1
Twenty-Sixth Floor Level (79.5m above the ground)								
Resi 1	23.9	21.6	26.2	25.7	20.5	21.8	13.9	15.3
Resi 2	23.9	21.6	26.2	25.7	20.5	21.9	13.9	15.4

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 3	24.0	21.6	26.3	25.7	20.5	21.8	13.9	15.2
Resi 4	24.0	21.7	26.3	25.8	20.5	22.0	14.0	15.5
Resi 11	24.0	21.7	26.3	25.8	20.5	21.7	14.0	15.1
Resi 12	24.0	21.6	26.3	25.8	20.5	21.5	14.0	15.0
Twenty-Eighth Floor Level (85.5m above the ground)								
Resi 3	24.0	21.6	26.2	25.7	20.5	21.5	13.9	15.0
Resi 4	24.0	21.7	26.3	25.8	20.5	21.7	14.0	15.2
Resi 11	24.0	21.6	26.3	25.8	20.5	21.4	14.0	14.8
Resi 12	24.0	21.6	26.3	25.7	20.5	21.3	14.0	14.8
Thirtieth Floor Level (91.5m above the ground)								
Resi 3	23.9	21.5	26.2	25.6	20.5	21.2	13.9	14.7
Resi 4	24.0	21.6	26.2	25.7	20.5	21.2	14.0	14.7
Resi 11	24.0	21.6	26.3	25.7	20.5	21.1	14.0	14.5
Resi 12	24.0	21.6	26.3	25.7	20.5	21.1	14.0	14.5
Thirty-Second Floor Level (97.5m above the ground)								
Resi 3	23.9	21.5	26.2	25.6	20.5	21.0	13.9	14.5
Resi 4	24.0	21.5	26.2	25.6	20.5	20.9	14.0	14.4
Resi 11	24.0	21.5	26.3	25.7	20.5	20.9	14.0	14.3
Resi 12	24.0	21.5	26.3	25.6	20.5	20.9	14.0	14.3
Thirty-Fourth Floor Level (103.5m above the ground)								
Resi 3	23.9	21.5	26.2	25.6	20.5	20.9	13.9	14.4
Resi 4	23.9	21.5	26.2	25.6	20.5	20.8	13.9	14.2
Resi 11	24.0	21.5	26.3	25.6	20.5	20.8	14.0	14.2
Resi 12	24.0	21.5	26.2	25.6	20.5	20.8	14.0	14.2
Roof Level								

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Resi 1	23.9	21.6	26.1	25.7	20.5	21.6	13.9	15.1
Resi 2	23.9	21.6	26.2	25.7	20.5	21.7	13.9	15.2
Resi 3	24.0	21.6	26.2	25.7	20.5	21.6	13.9	15.1
Resi 4	24.0	21.7	26.3	25.8	20.5	21.9	14.0	15.4
Resi 5	24.1	21.7	26.4	25.9	20.5	21.4	14.0	14.9
Resi 6	24.1	21.7	26.4	25.9	20.5	21.5	14.0	15.0
Resi 7	24.1	21.8	26.5	26.0	20.6	21.6	14.0	15.1
Resi 8	24.1	21.8	26.5	26.0	20.6	21.7	14.0	15.2
Resi 9	24.2	21.8	26.5	26.0	20.6	21.4	14.0	14.8
Resi 10	24.2	21.8	26.5	26.0	20.6	21.4	14.0	14.8
Resi 11	24.0	22.0	26.3	26.1	20.5	25.7	14.0	19.2
Resi 12	24.0	21.8	26.2	25.9	20.5	24.7	13.9	18.2
Resi 13	24.1	21.7	26.5	25.9	20.6	21.3	14.0	14.8
Resi 14	24.1	21.7	26.4	25.9	20.5	21.2	14.0	14.7
Ground Level (1.5m above the ground)								
Extreme 1	26.7	23.8	30.1	29.7	21.1	22.1	14.3	15.3
Extreme 2	26.9	23.9	30.3	29.9	21.1	22.1	14.3	15.4
Extreme 3	28.8	26.0	32.8	33.4	21.5	22.3	14.5	15.4
Second Floor Level (7.5m above the ground)								
Extreme 1	26.6	23.7	29.9	29.5	21.0	22.0	14.2	15.3
Extreme 2	26.7	23.8	30.1	29.7	21.1	22.1	14.3	15.4
Extreme 3	28.6	25.7	32.5	32.9	21.5	22.3	14.5	15.3
Fourth Floor Level (13.5m above the ground)								
Extreme 1	26.4	23.5	29.6	29.2	21.0	22.0	14.2	15.3
Extreme 2	26.5	23.6	29.7	29.3	21.0	22.1	14.2	15.3

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Extreme 3	28.2	25.4	32.0	32.4	21.4	22.2	14.5	15.3
Sixth Floor Level (19.5m above the ground)								
Extreme 1	26.1	23.3	29.2	28.8	20.9	22.0	14.2	15.3
Extreme 2	26.2	23.3	29.3	28.9	21.0	22.0	14.2	15.3
Extreme 3	27.9	25.2	31.6	32.0	21.4	22.1	14.4	15.3
Eighth Floor Level (25.5m above the ground)								
Extreme 1	25.8	23.0	28.8	28.3	20.9	21.9	14.2	15.2
Extreme 2	25.8	23.1	28.8	28.4	20.9	22.0	14.2	15.3
Extreme 3	25.8	23.0	28.8	28.3	20.9	21.7	14.2	15.0
Tenth Floor Level (31.5m above the ground)								
Extreme 1	25.5	22.8	28.4	27.9	20.8	21.9	14.1	15.2
Extreme 2	25.6	22.8	28.5	28.0	20.9	21.9	14.1	15.3
Extreme 3	25.5	22.8	28.4	27.9	20.9	21.7	14.1	15.0
Twelfth Floor Level (36.5m above the ground)								
Extreme 1	25.3	22.6	28.1	27.6	20.8	21.9	14.1	15.2
Extreme 2	25.3	22.6	28.1	27.6	20.8	21.9	14.1	15.3
Extreme 3	25.3	22.6	28.1	27.6	20.8	21.6	14.1	15.0
Fourteenth Floor Level (40.5m above the ground)								
Extreme 1	25.1	22.5	27.8	27.3	20.8	21.8	14.1	15.2
Extreme 2	25.1	22.5	27.8	27.3	20.8	21.9	14.1	15.2
Extreme 3	25.1	22.5	27.8	27.3	20.8	21.6	14.1	15.0
Sixteenth Floor Level (46.5m above the ground)								
Extreme 1	24.9	22.3	27.6	27.0	20.7	21.8	14.1	15.2
Extreme 2	24.9	22.3	27.6	27.1	20.7	21.9	14.1	15.2
Extreme 3	25.0	22.3	27.6	27.1	20.8	21.6	14.1	15.0

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Eighteenth Floor Level (49.5m above the ground)								
Extreme 1	24.8	22.2	27.4	26.9	20.7	21.8	14.1	15.2
Extreme 2	24.8	22.2	27.4	26.9	20.7	21.9	14.1	15.2
Extreme 3	24.8	22.2	27.4	26.9	20.7	21.6	14.1	15.0
Twentieth Floor Level (45.5m above the ground)								
Extreme 1	24.7	22.1	27.2	26.7	20.7	21.8	14.0	15.2
Extreme 2	24.7	22.1	27.2	26.7	20.7	21.8	14.0	15.2
Extreme 3	24.7	22.2	27.3	26.7	20.7	21.6	14.1	15.0
Twenty-second Floor Level (51.5m above the ground)								
Extreme 1	24.6	22.1	27.1	26.6	20.7	21.8	14.0	15.2
Extreme 2	24.6	22.1	27.1	26.6	20.7	21.8	14.0	15.2
Extreme 3	24.6	22.1	27.2	26.6	20.7	21.6	14.0	15.0
Twenty-fourth Floor Level (57.5m above the ground)								
Extreme 1	24.5	22.0	27.0	26.5	20.7	21.8	14.0	15.2
Extreme 2	24.5	22.0	27.0	26.5	20.7	21.8	14.0	15.2
Extreme 3	24.6	22.0	27.1	26.5	20.7	21.6	14.0	15.0
Twenty-sixth Floor Level (63.5m above the ground)								
Extreme 1	24.5	22.0	26.9	26.4	20.7	21.8	14.0	15.2
Extreme 2	24.5	22.0	26.9	26.4	20.7	21.8	14.0	15.2
Extreme 3	24.5	22.0	27.0	26.4	20.7	21.6	14.0	15.0
Twenty-eighth Floor Level (69.5m above the ground)								
Extreme 1	24.4	21.9	26.9	26.3	20.7	21.8	14.0	15.2
Extreme 2	24.4	22.0	26.9	26.3	20.7	21.8	14.0	15.3
Extreme 3	24.5	22.0	26.9	26.4	20.7	21.6	14.0	15.0
Thirtieth Floor Level (75.5m above the ground)								

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Extreme 1	24.4	21.9	26.8	26.3	20.6	21.8	14.0	15.2
Extreme 2	24.4	21.9	26.8	26.3	20.6	21.9	14.0	15.3
Extreme 3	24.4	21.9	26.8	26.3	20.7	21.6	14.0	15.0
Thirty-second Floor Level (81.5m above the ground)								
Extreme 1	24.3	21.9	26.8	26.2	20.6	21.8	14.0	15.2
Extreme 2	24.3	21.9	26.8	26.2	20.6	21.9	14.0	15.3
Extreme 3	24.4	21.9	26.8	26.3	20.7	21.6	14.0	15.0
Thirty-fourth Floor Level (87.5m above the ground)								
Extreme 1	24.3	22.0	26.7	26.3	20.6	21.8	14.0	15.2
Extreme 2	24.3	21.9	26.7	26.3	20.6	21.9	14.0	15.3
Extreme 3	24.3	22.1	26.7	26.4	20.6	21.6	14.0	15.0
Ground Level (1.5m above the ground)								
Hotel 1	26.9	23.9	30.4	30.0	21.1	22.2	14.3	15.5
Hotel 2	27.3	24.2	30.9	30.5	21.1	22.2	14.3	15.5
Hotel 3	28.8	25.5	32.9	32.7	21.4	21.7	14.5	14.8
Ground Level (1.5m above the ground)								
Hotel 1	26.8	23.8	30.2	29.8	21.1	22.2	14.3	15.5
Hotel 2	27.1	24.1	30.6	30.2	21.1	22.2	14.3	15.5
Hotel 3	28.3	25.0	32.2	31.9	21.4	21.6	14.4	14.8
Ground Level (1.5m above the ground)								
Hotel 1	26.5	23.6	29.8	29.4	21.0	22.2	14.2	15.5
Hotel 2	26.8	23.8	30.2	29.7	21.1	22.2	14.3	15.4
Hotel 3	27.5	24.4	31.2	30.8	21.2	21.5	14.3	14.7
Ground Level (1.5m above the ground)								
Hotel 1	26.2	23.4	29.4	28.9	21.0	22.1	14.2	15.4

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Hotel 2	26.4	23.5	29.6	29.2	21.0	22.1	14.2	15.4
Hotel 3	26.8	23.8	30.1	29.7	21.1	21.4	14.3	14.6
Ground Level (1.5m above the ground)								
Hotel 1	25.9	23.1	28.9	28.5	20.9	22.1	14.2	15.4
Hotel 2	26.0	23.2	29.0	28.6	20.9	22.1	14.2	15.4
Hotel 3	26.1	23.3	29.3	28.8	21.0	21.3	14.2	14.6
Ground Level (1.5m above the ground)								
Hotel 1	25.6	22.9	28.5	28.0	20.8	22.1	14.1	15.4
Hotel 2	25.6	22.9	28.5	28.0	20.8	22.0	14.1	15.3
Hotel 3	25.7	22.9	28.6	28.1	20.9	21.2	14.2	14.6
Ground Level (1.5m above the ground)								
Hotel 1	25.3	22.6	28.1	27.6	20.8	22.0	14.1	15.4
Hotel 2	25.3	22.6	28.1	27.6	20.8	22.0	14.1	15.3
Hotel 3	25.3	22.6	28.1	27.6	20.8	21.2	14.1	14.5
Ground Level (1.5m above the ground)								
Hotel 1	25.1	22.5	27.8	27.3	20.8	22.0	14.1	15.4
Hotel 2	25.1	22.4	27.7	27.3	20.8	21.9	14.1	15.3
Hotel 3	25.1	22.4	27.8	27.2	20.8	21.2	14.1	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.9	22.3	27.5	27.0	20.7	22.0	14.1	15.3
Hotel 2	24.9	22.3	27.5	27.0	20.7	21.9	14.1	15.3
Hotel 3	24.9	22.3	27.5	27.0	20.8	21.1	14.1	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.7	22.2	27.3	26.8	20.7	22.0	14.0	15.3
Hotel 2	24.7	22.2	27.3	26.8	20.7	21.9	14.0	15.3

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Hotel 3	24.8	22.2	27.4	26.8	20.7	21.1	14.1	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.6	22.1	27.2	26.7	20.7	21.9	14.0	15.3
Hotel 2	24.6	22.1	27.2	26.6	20.7	21.9	14.0	15.3
Hotel 3	24.7	22.1	27.2	26.7	20.7	21.1	14.1	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.6	22.1	27.1	26.5	20.7	21.9	14.0	15.3
Hotel 2	24.5	22.0	27.0	26.5	20.7	21.9	14.0	15.3
Hotel 3	24.6	22.1	27.1	26.6	20.7	21.1	14.0	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.5	22.0	27.0	26.4	20.7	21.9	14.0	15.3
Hotel 2	24.5	22.0	26.9	26.4	20.7	21.9	14.0	15.3
Hotel 3	24.6	22.0	27.0	26.5	20.7	21.1	14.0	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.4	22.0	26.9	26.3	20.6	21.9	14.0	15.3
Hotel 2	24.4	21.9	26.9	26.3	20.6	21.9	14.0	15.3
Hotel 3	24.5	22.0	27.0	26.4	20.7	21.1	14.0	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.4	21.9	26.8	26.3	20.6	21.9	14.0	15.4
Hotel 2	24.4	21.9	26.8	26.3	20.6	21.9	14.0	15.3
Hotel 3	24.5	21.9	26.9	26.3	20.7	21.1	14.0	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.3	21.9	26.7	26.2	20.6	21.9	14.0	15.4
Hotel 2	24.3	21.9	26.7	26.2	20.6	21.9	14.0	15.3
Hotel 3	24.4	21.9	26.9	26.3	20.7	21.1	14.0	14.5

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Ground Level (1.5m above the ground)								
Hotel 1	24.3	21.9	26.7	26.2	20.6	21.9	14.0	15.4
Hotel 2	24.3	21.9	26.7	26.2	20.6	21.9	14.0	15.3
Hotel 3	24.4	21.9	26.8	26.3	20.7	21.1	14.0	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.3	21.9	26.7	26.2	20.6	21.9	14.0	15.4
Hotel 2	24.3	21.9	26.6	26.2	20.6	21.9	14.0	15.3
Hotel 3	24.4	21.9	26.8	26.3	20.7	21.1	14.0	14.5
Ground Level (1.5m above the ground)								
Hotel 1	24.2	21.9	26.6	26.2	20.6	21.9	14.0	15.3
Hotel 2	24.2	21.9	26.6	26.2	20.6	21.9	14.0	15.4
Hotel 3	24.3	21.9	26.7	26.3	20.7	21.5	14.0	14.9
Ground Level (1.5m above the ground)								
Hotel 1	24.2	21.9	26.6	26.2	20.6	22.0	14.0	15.5
Hotel 2	24.2	21.9	26.6	26.2	20.6	22.1	14.0	15.5
Hotel 3	24.3	21.9	26.7	26.2	20.7	21.5	14.0	14.9
Ground Level (1.5m above the ground)								
Hotel 1	24.2	21.9	26.5	26.1	20.6	22.2	14.0	15.6
Hotel 2	24.2	21.9	26.5	26.1	20.6	22.2	14.0	15.6
Hotel 3	24.3	21.9	26.7	26.2	20.7	21.6	14.0	15.0
Ground Level (1.5m above the ground)								
Hotel 1	24.2	21.9	26.5	26.1	20.6	22.3	14.0	15.7
Hotel 2	24.2	21.9	26.5	26.1	20.6	22.3	14.0	15.7
Hotel 3	24.3	21.9	26.6	26.2	20.6	21.7	14.0	15.1
Ground Level (1.5m above the ground)								

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Hotel 1	24.2	21.9	26.5	26.1	20.6	22.3	14.0	15.8
Hotel 2	24.1	21.9	26.5	26.1	20.6	22.4	14.0	15.8
Hotel 3	24.3	21.9	26.6	26.2	20.6	21.7	14.0	15.1
Ground Level (1.5m above the ground)								
Hotel 1	24.1	21.9	26.5	26.1	20.6	22.4	14.0	15.8
Hotel 2	24.1	21.9	26.5	26.1	20.6	22.5	14.0	15.9
Hotel 3	24.2	21.9	26.6	26.1	20.6	21.8	14.0	15.2
Ground Level (1.5m above the ground)								
Hotel 1	24.1	21.9	26.5	26.0	20.6	22.4	14.0	15.8
Hotel 2	24.1	21.9	26.4	26.1	20.6	22.5	14.0	15.9
Hotel 3	24.2	21.9	26.6	26.1	20.6	21.8	14.0	15.2
Ground Level (1.5m above the ground)								
Hotel 1	24.1	21.8	26.4	26.0	20.6	22.4	14.0	15.8
Hotel 2	24.1	21.9	26.4	26.0	20.6	22.5	14.0	15.9
Hotel 3	24.2	21.9	26.6	26.1	20.6	21.8	14.0	15.2
Ground Level (1.5m above the ground)								
Hotel 1	24.1	21.8	26.4	26.0	20.6	22.4	14.0	15.8
Hotel 2	24.1	21.8	26.4	26.0	20.6	22.4	14.0	15.9
Hotel 3	24.2	21.9	26.5	26.1	20.6	21.8	14.0	15.2
Ground Level (1.5m above the ground)								
Hotel 1	24.1	21.8	26.4	26.0	20.6	22.3	14.0	15.7
Hotel 2	24.1	21.8	26.4	26.0	20.6	22.4	14.0	15.8
Hotel 3	24.2	21.9	26.5	26.1	20.6	21.8	14.0	15.2
Ground Level (1.5m above the ground)								
Hotel 1	24.1	21.8	26.4	26.0	20.6	22.6	14.0	16.1

Receptor name	NO_2				PM_{10}		$PM_{2.5}$	
	With Reduction		No Reduction		2018	2021	2018	2021
	2018	2021	2018	2021				
Hotel 2	24.1	21.8	26.4	26.0	20.6	22.6	14.0	16.0
Hotel 3	24.2	21.9	26.5	26.1	20.6	22.0	14.0	15.4
Ground Level (1.5m above the ground)								
Hotel 1	24.1	21.9	26.4	26.1	20.6	27.3	14.0	20.7
Hotel 2	24.1	21.9	26.4	26.0	20.6	24.0	14.0	17.4
Hotel 3	24.2	21.9	26.5	26.1	20.6	22.8	14.0	16.2
Ground Level (1.5m above the ground)								
Hotel 1	24.1	26.0	26.4	30.1	20.6	35.8	14.0	29.2
Hotel 2	24.1	22.4	26.4	26.6	20.6	26.2	14.0	19.7
Hotel 3	24.2	21.8	26.5	26.0	20.6	23.7	14.0	17.1

Table A6.9.9: Short-Term Impacts in 2021

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Ground Level (1.5m above the ground)					
1	63.4	75.2	31	91.5	1.1
2	69.9	82.1	31	91.5	1.3
3	81.9	95.0	31	91.5	2.3
4	86.6	101.8	30	91.8	2.8
5	95.8	113.6	30	91.8	2.9
6	95.0	114.3	30	91.8	2.8
7	95.8	115.0	29	92.1	2.8
8	105.3	129.9	28	92.3	2.9

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
9	93.0	116.6	28	92.3	1.6
10	95.1	120.7	28	92.3	1.5
11	77.0	93.6	30	91.8	1.0
12	69.8	84.5	30	91.8	0.7
13	72.1	87.6	30	91.8	0.8
14	80.1	100.1	29	92.1	1.1
15	74.4	91.6	29	92.1	0.9
16	78.6	101.1	28	92.3	0.8
17	80.0	104.3	28	92.3	0.8
18	85.4	115.1	26	92.9	0.7
19	74.9	95.7	28	92.3	0.7
20	73.5	92.3	29	92.1	0.8
21	74.3	93.1	29	92.1	0.9
22	73.5	90.8	29	92.1	0.9
23	75.7	92.6	29	92.1	1.0
24	92.0	115.1	28	92.3	1.3
25	90.6	111.1	28	92.3	1.5
26	95.9	117.8	27	92.6	1.7
27	94.2	115.3	27	92.6	1.7
28	92.7	113.4	28	92.3	1.7
29	91.7	113.2	29	92.1	1.8
30	91.3	111.5	29	92.1	2.0
31	84.3	98.3	30	91.8	2.5
32	90.7	103.0	31	91.5	3.0
33	88.2	100.0	31	91.5	2.9

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
34	89.9	104.1	30	91.8	3.2
35	96.1	115.1	30	91.8	3.9
36	97.0	116.0	30	91.8	4.1
37	96.9	121.8	28	92.3	3.0
38	98.5	121.8	29	92.1	3.1
39	82.4	99.2	30	91.8	2.5
40	93.6	117.1	29	92.1	3.5
41	98.5	124.1	28	92.3	3.5
42	102.5	131.4	27	92.6	3.2
43	91.9	118.2	28	92.3	2.4
44	76.8	90.5	31	91.5	2.4
45	102.8	129.6	26	92.9	2.9
46	80.6	96.1	30	91.8	2.1
47	84.9	103.2	29	92.1	2.2
48	84.2	101.2	30	91.8	2.3
49	73.1	87.0	30	91.8	1.5
50	73.9	89.9	30	91.8	1.2
51	92.6	116.0	28	92.3	2.7
52	89.2	114.7	28	92.3	2.0
53	103.1	132.1	27	92.6	3.4
54	82.8	109.6	28	92.3	1.6
55	106.5	136.4	27	92.6	2.6
56	115.6	147.5	26	92.9	2.8
57	125.8	164.2	24	93.4	2.9
58	118.8	156.4	24	93.4	2.7

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
59	77.0	99.0	29	92.1	2.0
60	98.9	113.8	30	91.8	5.0
61	87.5	101.4	31	91.5	4.8
62	79.2	90.9	31	91.5	2.6
63	87.4	97.9	31	91.5	3.9
64	75.0	85.1	31	91.5	6.2
65	79.5	89.8	31	91.5	6.2
66	87.3	99.1	31	91.5	6.0
67	69.6	79.2	31	91.5	5.9
68	74.2	83.3	31	91.5	2.9
69	74.4	83.6	31	91.5	3.0
70	79.3	88.8	31	91.5	3.0
71	74.2	83.6	31	91.5	1.9
72	65.9	75.7	31	91.5	1.3
73	85.4	94.0	32	91.2	3.7
74	95.5	105.6	31	91.5	5.7
75	91.8	102.8	31	91.5	3.5
76	99.2	109.2	31	91.5	7.2
77	63.5	73.2	31	91.5	1.0
78	75.6	87.0	31	91.5	1.9
79	68.6	78.3	31	91.5	6.6
80	103.7	132.2	27	92.6	3.3
81	100.9	129.3	27	92.6	3.4
82	79.6	88.4	32	91.2	2.8
83	80.9	90.9	31	91.5	2.5

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
84	81.9	91.5	31	91.5	2.5
85	86.4	96.3	31	91.5	2.6
86	83.3	93.2	31	91.5	2.4
87	87.7	98.0	31	91.5	2.6
88	69.8	80.0	31	91.5	1.2
89	73.3	82.5	31	91.5	1.5
90	79.8	88.6	32	91.2	2.5
91	86.0	94.8	32	91.2	4.7
92	72.2	81.4	31	91.5	2.1
93	76.7	86.2	31	91.5	2.2
Ground Level (1.5m above the ground)					
1	63.0	74.6	31	91.5	1.1
2	69.4	81.3	31	91.5	1.3
3	81.3	93.9	31	91.5	2.3
4	85.9	100.5	30	91.8	2.8
5	93.8	110.0	30	91.8	2.9
6	92.3	109.4	30	91.8	2.8
7	93.1	110.1	30	91.8	2.8
8	98.5	118.0	29	92.1	2.9
9	88.4	108.3	29	92.1	1.6
10	89.1	110.6	29	92.1	1.5
11	75.5	90.9	30	91.8	1.0
12	68.5	82.1	30	91.8	0.7
13	70.7	85.1	30	91.8	0.8
14	78.1	96.5	29	92.1	1.1

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
15	73.2	89.5	30	91.8	0.9
16	74.7	93.9	29	92.1	0.8
17	74.8	94.8	29	92.1	0.8
18	82.5	110.1	26	92.9	0.7
19	71.3	89.0	29	92.1	0.7
20	71.1	87.7	29	92.1	0.8
21	71.9	88.6	29	92.1	0.9
22	71.9	87.7	29	92.1	0.9
23	74.4	90.1	30	91.8	1.0
24	87.8	108.3	28	92.3	1.3
25	86.8	104.9	29	92.1	1.5
26	92.7	112.7	28	92.3	1.6
27	91.2	110.5	28	92.3	1.7
28	88.3	106.5	29	92.1	1.7
29	88.4	107.4	29	92.1	1.8
30	88.1	105.7	29	92.1	2.0
31	83.5	96.8	30	91.8	2.5
32	90.4	102.4	31	91.5	3.0
33	87.9	99.6	31	91.5	3.0
34	88.9	102.2	31	91.5	3.2
35	92.9	109.5	30	91.8	3.9
36	93.8	110.4	30	91.8	4.1
37	91.6	112.9	29	92.1	3.0
38	94.8	115.5	29	92.1	3.1
39	80.2	95.2	30	91.8	2.5

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
40	89.8	110.7	29	92.1	3.5
41	89.2	111.8	29	92.1	3.1
42	95.9	121.2	28	92.3	3.0
43	86.6	110.3	28	92.3	2.4
44	76.0	88.9	31	91.5	2.5
45	100.2	125.5	27	92.6	2.9
46	77.9	91.3	30	91.8	2.1
47	80.2	95.3	30	91.8	2.1
48	80.6	95.1	30	91.8	2.3
49	71.3	84.0	31	91.5	1.4
50	71.0	84.9	30	91.8	1.2
51	89.4	110.8	29	92.1	2.7
52	85.3	108.2	29	92.1	2.0
53	95.6	120.2	28	92.3	3.2
54	75.4	98.6	29	92.1	1.6
55	100.3	126.0	28	92.3	2.6
56	107.5	134.4	28	92.3	2.5
57	115.8	148.3	26	92.9	2.9
58	110.2	142.7	26	92.9	2.7
59	74.8	95.9	29	92.1	2.0
60	97.1	110.7	31	91.5	4.9
61	86.9	99.7	31	91.5	4.9
62	79.1	90.7	31	91.5	2.6
63	87.6	98.0	31	91.5	4.0
64	75.2	85.1	31	91.5	6.2

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
65	79.3	89.5	31	91.5	6.2
66	86.6	97.9	31	91.5	6.0
67	69.5	79.1	31	91.5	5.9
68	74.2	83.3	31	91.5	2.9
69	74.4	83.6	31	91.5	3.0
70	79.3	88.7	31	91.5	3.0
71	74.9	84.2	31	91.5	2.0
72	65.8	75.5	31	91.5	1.3
73	85.4	93.9	32	91.2	3.7
74	95.7	105.7	31	91.5	5.7
75	91.6	102.6	31	91.5	3.5
76	99.2	109.2	31	91.5	7.3
77	63.5	73.1	31	91.5	1.0
78	75.4	86.8	31	91.5	1.9
79	68.5	78.2	31	91.5	6.6
80	97.8	122.8	28	92.3	2.9
81	93.8	118.0	28	92.3	3.1
82	79.7	88.5	32	91.2	2.9
83	80.9	90.9	31	91.5	2.6
84	81.9	91.5	31	91.5	2.5
85	86.3	96.2	31	91.5	2.6
86	83.3	93.2	31	91.5	2.4
87	87.7	97.9	31	91.5	2.6
88	69.8	80.0	31	91.5	1.2
89	73.2	82.4	31	91.5	1.5

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
90	79.7	88.5	32	91.2	2.5
91	86.0	94.8	32	91.2	4.7
92	72.4	81.5	31	91.5	2.1
93	76.6	86.1	31	91.5	2.2
Ground Level (1.5m above the ground)					
1	62.8	74.0	31	91.5	1.1
2	68.9	80.5	31	91.5	1.3
3	80.7	92.9	31	91.5	2.3
4	85.2	99.0	30	91.8	2.9
5	91.1	105.1	30	91.8	2.9
6	89.1	103.3	30	91.8	2.8
7	89.7	103.9	30	91.8	2.8
8	91.8	105.9	30	91.8	2.9
9	84.5	101.4	30	91.8	1.6
10	84.3	102.0	29	92.1	1.5
11	73.5	87.4	30	91.8	1.0
12	66.8	79.2	30	91.8	0.7
13	69.0	82.0	30	91.8	0.8
14	75.3	91.4	30	91.8	1.1
15	71.5	86.3	30	91.8	0.9
16	70.3	85.6	30	91.8	0.8
17	69.4	84.6	30	91.8	0.8
18	80.0	105.8	27	92.6	0.7
19	67.5	81.7	30	91.8	0.7
20	68.3	82.4	30	91.8	0.8

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
21	69.2	83.3	30	91.8	0.8
22	69.8	83.8	30	91.8	0.9
23	72.6	86.7	30	91.8	1.0
24	83.8	101.7	29	92.1	1.3
25	83.7	100.0	29	92.1	1.5
26	90.2	108.7	28	92.3	1.6
27	88.9	106.7	28	92.3	1.7
28	84.9	100.9	29	92.1	1.7
29	85.6	102.5	30	91.8	1.7
30	85.6	101.2	30	91.8	2.0
31	82.4	94.6	31	91.5	2.5
32	89.8	101.3	31	91.5	3.0
33	87.5	98.7	31	91.5	3.0
34	87.4	99.6	31	91.5	3.2
35	90.3	104.9	30	91.8	3.9
36	91.2	105.8	30	91.8	4.1
37	87.5	105.9	30	91.8	3.0
38	91.7	110.1	30	91.8	3.0
39	77.4	90.2	31	91.5	2.5
40	86.6	105.2	30	91.8	3.2
41	84.5	104.2	30	91.8	3.0
42	89.3	111.1	29	92.1	3.0
43	82.8	104.1	29	92.1	2.4
44	75.0	86.9	31	91.5	2.5
45	97.8	121.7	27	92.6	2.9

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
46	75.0	86.3	31	91.5	2.0
47	75.6	87.2	31	91.5	1.8
48	77.0	88.7	31	91.5	2.2
49	69.3	80.4	31	91.5	1.4
50	67.8	79.3	31	91.5	1.2
51	86.9	106.4	29	92.1	2.7
52	82.5	103.1	29	92.1	2.1
53	88.3	108.6	29	92.1	3.2
54	72.1	92.2	29	92.1	1.7
55	95.4	117.1	29	92.1	2.6
56	100.5	122.6	29	92.1	2.6
57	107.6	135.0	28	92.3	2.8
58	103.2	131.1	28	92.3	2.4
59	74.7	94.9	29	92.1	2.0
60	95.7	108.1	31	91.5	4.9
61	86.7	98.5	31	91.5	5.2
62	79.5	91.0	31	91.5	2.7
63	87.8	98.1	31	91.5	4.0
64	75.1	85.0	31	91.5	6.2
65	79.1	89.1	31	91.5	6.2
66	85.8	96.4	31	91.5	6.0
67	69.4	78.9	31	91.5	5.9
68	75.0	84.0	31	91.5	2.8
69	74.4	83.6	31	91.5	3.0
70	79.2	88.6	31	91.5	3.0

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
71	74.8	84.1	31	91.5	2.0
72	65.7	75.2	31	91.5	1.3
73	85.4	93.9	32	91.2	3.6
74	96.1	106.1	31	91.5	5.7
75	91.4	102.2	31	91.5	3.6
76	99.4	109.2	31	91.5	7.4
77	63.4	73.1	31	91.5	1.1
78	75.2	86.4	31	91.5	1.9
79	68.4	77.9	31	91.5	6.6
80	88.8	110.3	29	92.1	3.0
81	87.4	107.6	29	92.1	3.1
82	81.4	90.3	32	91.2	2.9
83	81.0	90.9	31	91.5	2.6
84	82.5	92.0	31	91.5	2.5
85	86.2	96.0	31	91.5	2.7
86	83.2	93.1	31	91.5	2.4
87	87.6	97.8	31	91.5	2.6
88	69.8	79.9	31	91.5	1.2
89	73.2	82.3	31	91.5	1.5
90	79.7	88.4	32	91.2	2.5
91	85.9	94.7	32	91.2	4.8
92	72.7	81.8	31	91.5	2.2
93	76.6	86.1	31	91.5	2.3
Ground Level (1.5m above the ground)					
1	62.7	73.8	31	91.5	1.1

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
2	68.6	80.0	31	91.5	1.3
3	80.3	92.2	31	91.5	2.3
4	84.6	97.7	31	91.5	2.9
5	88.8	101.0	31	91.5	2.9
6	87.2	99.2	31	91.5	2.8
7	87.5	99.6	31	91.5	2.8
8	89.2	100.9	31	91.5	2.8
9	79.7	92.6	30	91.8	1.6
10	78.4	91.6	30	91.8	1.5
11	72.1	84.7	30	91.8	1.0
12	65.7	77.1	31	91.5	0.6
13	67.7	79.8	30	91.8	0.8
14	72.7	86.8	30	91.8	1.1
15	69.9	83.2	30	91.8	0.9
16	67.8	80.8	30	91.8	0.8
17	66.9	79.7	30	91.8	0.8
18	64.6	77.0	30	91.8	0.7
19	65.5	78.0	30	91.8	0.7
20	66.6	79.0	30	91.8	0.8
21	67.4	79.9	30	91.8	0.8
22	68.3	80.8	30	91.8	0.9
23	71.1	83.8	30	91.8	1.0
24	76.9	90.1	30	91.8	1.3
25	77.8	90.1	30	91.8	1.5
26	79.6	91.2	30	91.8	1.6

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
27	79.2	90.8	30	91.8	1.7
28	79.0	91.2	30	91.8	1.5
29	80.3	92.8	30	91.8	1.8
30	81.5	93.4	30	91.8	2.0
31	81.7	93.0	31	91.5	2.5
32	89.2	100.1	31	91.5	3.0
33	87.0	97.7	31	91.5	3.0
34	86.2	97.3	31	91.5	3.2
35	86.0	97.2	31	91.5	3.8
36	86.9	98.1	31	91.5	4.0
37	78.5	90.0	31	91.5	2.9
38	82.4	93.6	31	91.5	3.0
39	75.7	87.2	31	91.5	2.6
40	78.0	89.7	31	91.5	3.3
41	74.4	86.7	31	91.5	3.0
42	74.8	87.1	31	91.5	2.9
43	69.1	81.2	31	91.5	2.4
44	74.4	85.5	31	91.5	2.6
45	77.4	87.9	31	91.5	2.5
46	73.6	83.8	31	91.5	2.0
47	73.7	84.1	31	91.5	1.8
48	75.3	85.8	31	91.5	2.2
49	67.9	78.1	31	91.5	1.4
50	66.2	76.4	31	91.5	1.2
51	75.4	86.8	31	91.5	2.8

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
52	70.7	82.7	31	91.5	2.2
53	75.8	88.2	31	91.5	2.6
54	63.9	76.4	31	91.5	1.7
55	83.7	96.3	31	91.5	2.6
56	88.4	101.3	31	91.5	2.5
57	88.8	102.7	31	91.5	2.7
58	83.7	97.3	31	91.5	2.5
59	67.3	80.2	31	91.5	2.0
60	93.5	104.1	31	91.5	4.9
61	86.4	96.4	31	91.5	5.6
62	80.3	91.4	31	91.5	2.7
63	88.1	98.3	31	91.5	4.1
64	75.0	84.7	31	91.5	6.3
65	79.0	88.8	31	91.5	6.2
66	85.2	95.3	31	91.5	5.9
67	69.3	78.6	31	91.5	5.9
68	75.0	84.0	32	91.2	2.9
69	74.8	83.9	31	91.5	3.0
70	79.1	88.4	31	91.5	3.0
71	74.8	83.9	31	91.5	2.0
72	65.7	75.1	31	91.5	1.3
73	85.3	93.8	32	91.2	3.7
74	96.4	106.3	31	91.5	5.8
75	91.1	101.7	31	91.5	3.6
76	99.7	109.3	31	91.5	7.6

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
77	63.3	72.9	31	91.5	1.1
78	75.0	85.9	31	91.5	1.9
79	68.2	77.7	31	91.5	6.6
80	73.8	86.2	31	91.5	2.5
81	74.9	87.2	31	91.5	2.8
82	81.5	90.3	32	91.2	3.0
83	81.1	90.9	31	91.5	2.6
84	82.9	92.5	31	91.5	2.5
85	86.0	95.8	31	91.5	2.7
86	83.2	93.0	31	91.5	2.4
87	87.9	97.9	31	91.5	2.6
88	69.7	79.8	31	91.5	1.2
89	73.1	82.2	31	91.5	1.6
90	79.6	88.3	32	91.2	2.5
91	86.0	94.8	32	91.2	5.0
92	73.0	82.1	31	91.5	2.2
93	76.5	86.0	31	91.5	2.3
Ground Level (1.5m above the ground)					
UTC	47.3	58.9	31	91.5	0.1
UTC	47.2	58.5	31	91.5	0.1
UTC	84.2	95.2	31	91.5	4.4
Ground Level (1.5m above the ground)					
TA	86.2	95.9	31	91.5	5.8
TB	81.8	93.1	31	91.5	3.0
TC	77.2	88.0	31	91.5	2.4

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
TD	75.2	86.6	31	91.5	2.2
TE1	86.3	101.5	30	91.8	2.0
TE2	80.9	94.7	30	91.8	2.0
Ground Level (1.5m above the ground)					
TA	87.1	96.5	31	91.5	6.0
TB	81.3	92.1	31	91.5	3.0
TC	76.9	87.4	31	91.5	2.4
TD	74.7	85.6	31	91.5	2.2
TE1	84.4	98.1	30	91.8	2.0
TE2	80.1	92.9	31	91.5	2.0
Ground Level (1.5m above the ground)					
TA	90.5	99.6	32	91.2	6.6
TB	80.7	90.8	31	91.5	3.0
TC	76.4	86.5	31	91.5	2.5
TD	74.4	84.5	31	91.5	2.3
TE1	82.1	93.8	31	91.5	2.1
TE2	79.2	90.7	31	91.5	2.0
Ground Level (1.5m above the ground)					
TA	93.1	101.9	32	91.2	7.6
TB	80.0	89.6	31	91.5	3.1
TC	78.2	87.8	31	91.5	2.6
TD	76.1	85.7	31	91.5	2.6
TE1	80.4	90.8	31	91.5	2.1
TE2	78.7	89.1	31	91.5	2.0
Ground Level (1.5m above the ground)					

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
TA	95.3	103.9	32	91.2	9.0
TB	79.9	89.1	31	91.5	3.2
TC	76.5	85.7	31	91.5	2.8
TD	76.0	85.2	31	91.5	2.7
TE1	81.9	91.5	31	91.5	2.1
TE2	79.3	88.9	31	91.5	2.1
Ground Level (1.5m above the ground)					
TA	99.1	107.5	32	91.2	10.5
TB	79.6	88.5	31	91.5	3.3
TC	78.6	87.6	31	91.5	3.2
TD	79.6	88.5	31	91.5	3.2
TE1	81.1	90.2	31	91.5	2.1
TE2	80.0	89.3	31	91.5	2.2
Ground Level (1.5m above the ground)					
TA	104.7	113.1	32	91.2	11.9
TB	79.7	88.4	31	91.5	3.5
TC	80.0	88.8	31	91.5	3.4
TD	79.6	88.3	31	91.5	3.5
TE1	82.4	91.3	31	91.5	2.2
TE2	80.6	89.5	31	91.5	2.2
Ground Level (1.5m above the ground)					
Stadium	76.9	87.4	31	91.5	7.9
Ground Level (1.5m above the ground)					
Stadium	121.1	129.5	31	91.5	13.0
Ground Level (1.5m above the ground)					

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Walkway 1	86.2	99.3	31	91.5	4.1
Walkway 2	81.8	93.1	31	91.5	4.0
Walkway 3	79.2	89.9	31	91.5	3.6
Walkway 4	74.0	84.1	31	91.5	3.5
Walkway 5	70.0	79.8	31	91.5	2.7
Walkway 6	63.4	73.2	31	91.5	7.5
Walkway 7	77.7	88.6	31	91.5	8.6
Walkway 8	92.3	105.4	31	91.5	8.3
Walkway 9	104.3	131.1	28	92.3	3.9
Walkway 1	85.8	98.5	31	91.5	4.1
Walkway 2	81.7	92.9	31	91.5	4.0
Walkway 3	79.1	89.8	31	91.5	3.6
Walkway 4	74.0	84.1	31	91.5	3.5
Walkway 5	69.9	79.7	31	91.5	2.7
Walkway 6	63.4	73.1	31	91.5	7.5
Walkway 7	77.7	88.4	31	91.5	8.6
Walkway 8	91.9	104.8	31	91.5	8.3
Walkway 9	97.7	120.2	29	92.1	3.9
Ground Level (1.5m above the ground)					
NE Building 1	68.8	78.8	31	91.5	8.8
NE Building 2	65.4	75.3	31	91.5	6.7
NE Building 3	74.3	84.3	31	91.5	6.3
Ground Level (1.5m above the ground)					
NE Building 1	68.8	78.7	31	91.5	8.8
NE Building 2	65.4	75.2	31	91.5	6.7

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
NE Building 3	74.2	84.1	31	91.5	6.3
Ground Level (1.5m above the ground)					
NE Building 1	68.8	78.7	31	91.5	8.9
NE Building 2	65.3	75.0	31	91.5	6.7
NE Building 3	74.1	83.9	31	91.5	6.3
Ground Level (1.5m above the ground)					
NE Building 1	68.7	78.5	31	91.5	9.0
NE Building 2	65.2	74.8	31	91.5	6.7
NE Building 3	73.9	83.6	31	91.5	6.3
Ground Level (1.5m above the ground)					
Resi 1	73.2	83.5	31	91.5	2.8
Resi 2	71.2	81.1	31	91.5	2.9
Resi 3	73.9	83.9	31	91.5	2.9
Resi 4	75.8	86.0	31	91.5	3.4
Resi 5	66.4	78.2	31	91.5	1.7
Resi 6	66.7	77.0	31	91.5	2.0
Resi 7	77.2	87.8	31	91.5	3.1
Resi 8	77.7	88.8	31	91.5	3.3
Resi 9	81.9	95.0	31	91.5	2.8
Resi 10	79.7	92.3	31	91.5	2.9
Resi 11	78.2	88.8	31	91.5	3.1
Resi 12	72.1	82.5	31	91.5	2.2
Resi 13	60.6	72.8	31	91.5	1.7
Resi 14	61.0	73.3	31	91.5	1.2
Ground Level (1.5m above the ground)					

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 1	72.0	81.7	31	91.5	2.8
Resi 2	71.1	80.9	31	91.5	2.9
Resi 3	73.7	83.6	31	91.5	3.0
Resi 4	75.6	85.8	31	91.5	3.4
Resi 5	56.2	66.1	31	91.5	1.7
Resi 6	67.3	77.3	31	91.5	2.0
Resi 7	76.9	87.3	31	91.5	3.1
Resi 8	77.3	88.0	31	91.5	3.3
Resi 9	80.4	92.6	31	91.5	2.8
Resi 10	78.6	90.4	31	91.5	2.9
Resi 11	77.8	88.1	31	91.5	3.1
Resi 12	71.7	81.8	31	91.5	2.2
Resi 13	59.4	70.8	31	91.5	1.7
Resi 14	59.5	70.7	31	91.5	1.2
Ground Level (1.5m above the ground)					
Resi 1	71.7	81.1	31	91.5	2.8
Resi 2	70.8	80.3	31	91.5	2.9
Resi 3	73.4	83.1	31	91.5	3.0
Resi 4	75.7	85.6	31	91.5	3.4
Resi 5	56.1	65.6	31	91.5	1.7
Resi 6	66.8	76.4	31	91.5	2.1
Resi 7	76.3	86.4	31	91.5	3.1
Resi 8	76.7	86.9	31	91.5	3.3
Resi 9	77.7	88.0	31	91.5	2.8
Resi 10	76.1	86.1	31	91.5	2.9

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 11	77.3	87.2	31	91.5	3.2
Resi 12	71.4	81.1	31	91.5	2.3
Resi 13	56.9	66.6	31	91.5	1.7
Resi 14	57.5	67.0	31	91.5	1.2
Ground Level (1.5m above the ground)					
Resi 1	71.4	80.6	31	91.5	3.0
Resi 2	70.5	79.9	31	91.5	3.0
Resi 3	73.0	82.5	31	91.5	3.0
Resi 4	75.3	84.9	31	91.5	3.5
Resi 5	56.4	65.7	31	91.5	1.7
Resi 6	66.5	75.8	31	91.5	2.1
Resi 7	75.9	85.5	31	91.5	3.1
Resi 8	76.1	85.9	31	91.5	3.3
Resi 9	77.2	87.0	31	91.5	2.9
Resi 10	75.6	85.3	31	91.5	2.9
Resi 11	76.9	86.5	31	91.5	3.2
Resi 12	71.0	80.5	31	91.5	2.3
Resi 13	59.1	68.5	31	91.5	1.9
Resi 14	58.4	67.7	31	91.5	1.3
Ground Level (1.5m above the ground)					
Resi 1	71.2	80.2	31	91.5	3.0
Resi 2	72.6	81.7	31	91.5	3.0
Resi 3	73.0	82.1	31	91.5	3.2
Resi 4	75.0	84.2	31	91.5	3.5
Resi 5	58.7	67.8	31	91.5	1.8

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 6	60.4	69.6	31	91.5	1.9
Resi 7	75.5	84.8	31	91.5	3.3
Resi 8	75.6	85.0	31	91.5	3.5
Resi 9	76.7	86.2	31	91.5	3.0
Resi 10	75.3	84.6	31	91.5	2.9
Resi 11	76.4	85.7	31	91.5	3.2
Resi 12	70.5	79.7	31	91.5	2.3
Resi 13	60.7	69.9	31	91.5	1.9
Resi 14	62.5	71.7	31	91.5	1.5
Ground Level (1.5m above the ground)					
Resi 1	73.0	81.9	31	91.5	3.1
Resi 2	72.4	81.3	31	91.5	3.2
Resi 3	74.1	83.1	31	91.5	3.2
Resi 4	74.7	83.7	31	91.5	3.6
Resi 5	62.6	71.5	31	91.5	1.9
Resi 6	62.3	71.3	31	91.5	2.0
Resi 7	75.8	84.9	31	91.5	3.3
Resi 8	76.4	85.5	31	91.5	3.6
Resi 9	76.4	85.5	31	91.5	3.1
Resi 10	76.1	85.2	31	91.5	3.1
Resi 11	74.8	83.8	31	91.5	3.2
Resi 12	70.3	79.3	31	91.5	2.3
Resi 13	62.8	71.8	31	91.5	2.0
Resi 14	68.3	77.2	31	91.5	1.7
Ground Level (1.5m above the ground)					

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 1	74.3	83.0	31	91.5	3.2
Resi 2	73.5	82.2	31	91.5	3.3
Resi 3	75.6	84.4	31	91.5	3.4
Resi 4	78.2	87.1	31	91.5	3.8
Resi 5	67.5	76.3	31	91.5	2.1
Resi 6	65.3	74.1	31	91.5	2.2
Resi 7	75.6	84.5	31	91.5	3.5
Resi 8	79.4	88.3	31	91.5	3.8
Resi 9	76.5	85.4	31	91.5	3.2
Resi 10	76.3	85.2	31	91.5	3.2
Resi 11	74.3	83.1	31	91.5	3.2
Resi 12	73.4	82.3	31	91.5	2.4
Resi 13	66.2	75.0	31	91.5	2.1
Resi 14	70.7	79.5	31	91.5	1.9
Ground Level (1.5m above the ground)					
Resi 1	74.3	82.9	31	91.5	3.5
Resi 2	77.1	85.8	31	91.5	3.6
Resi 3	75.9	84.6	31	91.5	3.2
Resi 4	78.0	86.7	31	91.5	3.9
Resi 5	71.2	79.8	31	91.5	2.4
Resi 6	72.0	80.7	31	91.5	2.2
Resi 7	77.2	86.0	31	91.5	3.7
Resi 8	83.5	92.2	31	91.5	4.0
Resi 9	79.1	87.9	31	91.5	3.3
Resi 10	76.6	85.4	31	91.5	3.3

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 11	76.5	85.2	31	91.5	3.2
Resi 12	74.5	83.3	31	91.5	2.6
Resi 13	71.9	80.6	31	91.5	2.2
Resi 14	73.3	82.0	31	91.5	2.2
Ground Level (1.5m above the ground)					
Resi 1	78.2	86.7	31	91.5	3.1
Resi 2	81.7	90.2	31	91.5	3.3
Resi 3	80.6	89.2	31	91.5	3.3
Resi 4	84.2	92.8	31	91.5	3.8
Resi 5	76.2	84.7	31	91.5	2.7
Resi 6	78.8	87.4	31	91.5	2.6
Resi 7	82.2	90.8	31	91.5	3.8
Resi 8	87.9	96.5	31	91.5	4.1
Resi 9	84.3	93.0	31	91.5	3.4
Resi 10	81.1	89.7	31	91.5	3.4
Resi 11	80.9	89.5	31	91.5	3.3
Resi 12	78.5	87.1	31	91.5	2.9
Resi 13	76.2	84.8	31	91.5	2.5
Resi 14	75.5	84.1	31	91.5	2.6
Ground Level (1.5m above the ground)					
Resi 1	83.6	91.9	32	91.2	4.3
Resi 2	92.1	100.5	31	91.5	4.1
Resi 3	89.3	97.7	31	91.5	4.1
Resi 4	90.1	98.6	31	91.5	4.2
Resi 5	82.2	90.7	31	91.5	3.8

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 6	83.8	92.3	31	91.5	3.2
Resi 7	88.7	97.2	31	91.5	3.9
Resi 8	89.4	98.0	31	91.5	5.0
Resi 9	87.4	96.0	31	91.5	4.1
Resi 10	87.0	95.6	31	91.5	3.5
Resi 11	85.2	93.8	31	91.5	3.6
Resi 12	84.7	93.2	31	91.5	3.5
Resi 13	82.5	91.1	31	91.5	3.2
Resi 14	81.6	90.1	31	91.5	3.4
Ground Level (1.5m above the ground)					
Resi 1	90.8	99.1	32	91.2	5.6
Resi 2	100.0	108.4	31	91.5	5.9
Resi 3	91.0	99.4	31	91.5	5.1
Resi 4	95.6	104.1	31	91.5	5.4
Resi 5	87.4	95.9	31	91.5	4.5
Resi 6	88.1	96.5	31	91.5	4.2
Resi 7	92.9	101.4	31	91.5	5.0
Resi 8	99.1	107.6	31	91.5	5.6
Resi 9	89.5	98.0	31	91.5	4.7
Resi 10	89.1	97.6	31	91.5	4.3
Resi 11	90.4	98.8	31	91.5	4.3
Resi 12	88.0	96.4	31	91.5	4.3
Resi 13	85.1	93.5	31	91.5	3.8
Resi 14	84.1	92.5	31	91.5	4.2
Ground Level (1.5m above the ground)					

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 1	94.8	103.1	32	91.2	7.0
Resi 2	102.7	111.0	32	91.2	7.3
Resi 3	96.5	104.9	31	91.5	5.8
Resi 4	99.1	107.5	31	91.5	6.0
Resi 5	87.6	95.9	31	91.5	5.3
Resi 6	87.8	96.1	31	91.5	5.0
Resi 7	97.2	105.6	31	91.5	5.7
Resi 8	99.7	108.2	31	91.5	6.3
Resi 9	92.0	100.5	31	91.5	4.8
Resi 10	93.2	101.7	31	91.5	4.6
Resi 11	92.0	100.5	31	91.5	4.8
Resi 12	88.3	96.7	31	91.5	4.8
Resi 13	84.7	93.1	31	91.5	4.5
Resi 14	84.4	92.8	31	91.5	4.7
Ground Level (1.5m above the ground)					
Resi 1	101.8	110.0	32	91.2	8.3
Resi 2	100.2	108.4	32	91.2	8.0
Resi 3	97.1	105.4	31	91.5	6.0
Resi 4	98.4	106.8	31	91.5	6.1
Resi 11	90.8	99.1	31	91.5	4.8
Resi 12	91.2	99.6	31	91.5	5.0
Ground Level (1.5m above the ground)					
Resi 1	99.4	107.6	32	91.2	7.5
Resi 2	96.7	104.9	32	91.2	7.4
Resi 3	96.5	104.7	31	91.5	5.7

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 4	97.1	105.4	31	91.5	6.1
Resi 11	89.7	98.0	31	91.5	4.7
Resi 12	90.4	98.7	31	91.5	4.9
Ground Level (1.5m above the ground)					
Resi 1	91.4	99.5	32	91.2	6.6
Resi 2	91.4	99.6	32	91.2	6.7
Resi 3	90.8	99.0	31	91.5	5.2
Resi 4	92.9	101.2	31	91.5	5.5
Resi 11	87.4	95.7	31	91.5	4.6
Resi 12	87.0	95.3	31	91.5	4.5
Ground Level (1.5m above the ground)					
Resi 1	81.5	89.6	32	91.2	5.8
Resi 2	86.3	94.5	32	91.2	5.4
Resi 3	85.1	93.3	31	91.5	4.7
Resi 4	86.6	94.9	31	91.5	5.0
Resi 11	85.1	93.4	31	91.5	4.4
Resi 12	82.2	90.5	31	91.5	4.1
Ground Level (1.5m above the ground)					
Resi 3	78.0	86.2	31	91.5	3.9
Resi 4	80.7	89.0	31	91.5	4.4
Resi 11	83.5	91.8	31	91.5	3.8
Resi 12	79.3	87.6	31	91.5	3.4
Ground Level (1.5m above the ground)					
Resi 3	72.3	80.5	31	91.5	3.1
Resi 4	72.5	80.7	31	91.5	3.0

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 11	74.3	82.5	31	91.5	3.0
Resi 12	72.4	80.7	31	91.5	2.9
Ground Level (1.5m above the ground)					
Resi 3	64.7	72.9	31	91.5	2.4
Resi 4	64.6	72.8	31	91.5	2.3
Resi 11	66.7	74.9	31	91.5	2.4
Resi 12	68.1	76.3	31	91.5	2.4
Ground Level (1.5m above the ground)					
Resi 3	64.4	72.6	31	91.5	2.2
Resi 4	64.7	72.9	31	91.5	2.5
Resi 11	65.4	73.6	31	91.5	2.8
Resi 12	62.7	70.9	31	91.5	2.2
Ground Level (1.5m above the ground)					
Resi 1	76.5	84.6	32	91.2	5.1
Resi 2	83.7	91.8	32	91.2	4.6
Resi 3	82.5	90.7	31	91.5	4.3
Resi 4	83.7	92.0	31	91.5	5.0
Resi 5	87.6	95.9	31	91.5	5.3
Resi 6	88.0	96.3	31	91.5	5.1
Resi 7	97.2	105.7	31	91.5	5.7
Resi 8	100.4	108.9	31	91.5	6.2
Resi 9	92.8	101.3	31	91.5	4.9
Resi 10	93.2	101.7	31	91.5	4.7
Resi 11	140.0	148.2	31	91.5	27.0
Resi 12	133.3	141.5	31	91.5	21.3

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Resi 13	84.6	93.0	31	91.5	4.5
Resi 14	84.4	92.8	31	91.5	4.7
Ground Level (1.5m above the ground)					
Extreme 1	81.9	93.7	31	91.5	3.7
Extreme 2	81.1	93.1	31	91.5	3.8
Extreme 3	84.5	99.2	30	91.8	3.4
Ground Level (1.5m above the ground)					
Extreme 1	81.7	93.3	31	91.5	3.7
Extreme 2	80.9	92.7	31	91.5	3.8
Extreme 3	84.0	98.3	30	91.8	3.4
Ground Level (1.5m above the ground)					
Extreme 1	81.4	92.8	31	91.5	3.7
Extreme 2	80.6	92.1	31	91.5	3.8
Extreme 3	83.4	97.3	30	91.8	3.4
Ground Level (1.5m above the ground)					
Extreme 1	81.2	92.1	31	91.5	3.7
Extreme 2	80.3	91.3	31	91.5	3.8
Extreme 3	82.9	96.4	30	91.8	3.4
Ground Level (1.5m above the ground)					
Extreme 1	80.9	91.5	31	91.5	3.7
Extreme 2	80.0	90.6	31	91.5	3.8
Extreme 3	78.6	89.2	31	91.5	3.4
Ground Level (1.5m above the ground)					
Extreme 1	80.7	91.0	31	91.5	3.7
Extreme 2	79.8	90.0	31	91.5	3.8

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Extreme 3	78.3	88.5	31	91.5	3.5
Ground Level (1.5m above the ground)					
Extreme 1	80.5	90.4	31	91.5	3.8
Extreme 2	79.7	89.6	31	91.5	3.8
Extreme 3	77.9	87.8	31	91.5	3.5
Ground Level (1.5m above the ground)					
Extreme 1	80.2	89.8	31	91.5	3.8
Extreme 2	79.6	89.3	31	91.5	3.8
Extreme 3	77.6	87.2	31	91.5	3.6
Ground Level (1.5m above the ground)					
Extreme 1	79.9	89.3	31	91.5	3.8
Extreme 2	79.7	89.1	31	91.5	3.8
Extreme 3	77.3	86.8	31	91.5	3.6
Ground Level (1.5m above the ground)					
Extreme 1	79.7	89.0	31	91.5	3.8
Extreme 2	79.8	89.1	31	91.5	3.8
Extreme 3	77.1	86.4	31	91.5	3.6
Ground Level (1.5m above the ground)					
Extreme 1	79.5	88.6	31	91.5	3.8
Extreme 2	79.7	88.8	31	91.5	3.9
Extreme 3	76.9	86.1	31	91.5	3.6
Ground Level (1.5m above the ground)					
Extreme 1	79.4	88.4	31	91.5	3.8
Extreme 2	79.6	88.6	31	91.5	3.9
Extreme 3	76.9	85.9	31	91.5	3.7

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Ground Level (1.5m above the ground)					
Extreme 1	80.4	89.3	31	91.5	3.9
Extreme 2	79.4	88.4	31	91.5	3.9
Extreme 3	78.3	87.3	31	91.5	3.7
Ground Level (1.5m above the ground)					
Extreme 1	80.6	89.4	31	91.5	4.0
Extreme 2	80.6	89.4	31	91.5	3.9
Extreme 3	79.5	88.3	31	91.5	3.7
Ground Level (1.5m above the ground)					
Extreme 1	82.5	91.3	31	91.5	4.0
Extreme 2	83.0	91.8	31	91.5	4.0
Extreme 3	80.1	88.9	31	91.5	3.7
Ground Level (1.5m above the ground)					
Extreme 1	86.2	94.9	31	91.5	4.0
Extreme 2	85.6	94.3	31	91.5	4.0
Extreme 3	84.9	93.6	31	91.5	3.8
Ground Level (1.5m above the ground)					
Extreme 1	88.0	96.7	31	91.5	4.3
Extreme 2	87.5	96.2	31	91.5	4.4
Extreme 3	86.0	94.7	31	91.5	3.8
Ground Level (1.5m above the ground)					
Extreme 1	89.8	98.5	31	91.5	4.9
Extreme 2	91.3	100.0	31	91.5	5.0
Extreme 3	87.8	96.4	31	91.5	4.2
Ground Level (1.5m above the ground)					

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Hotel 1	84.2	96.3	31	91.5	4.1
Hotel 2	86.0	98.6	31	91.5	4.0
Hotel 3	90.0	104.4	30	91.8	3.4
Ground Level (1.5m above the ground)					
Hotel 1	84.0	95.9	31	91.5	4.1
Hotel 2	85.7	98.0	31	91.5	4.0
Hotel 3	89.1	102.9	31	91.5	3.4
Ground Level (1.5m above the ground)					
Hotel 1	83.6	95.1	31	91.5	4.1
Hotel 2	85.2	97.1	31	91.5	4.0
Hotel 3	88.0	100.8	31	91.5	3.4
Ground Level (1.5m above the ground)					
Hotel 1	83.1	94.2	31	91.5	4.1
Hotel 2	84.6	95.9	31	91.5	4.0
Hotel 3	86.7	98.6	31	91.5	3.4
Ground Level (1.5m above the ground)					
Hotel 1	82.5	93.2	31	91.5	4.1
Hotel 2	83.9	94.7	31	91.5	4.0
Hotel 3	85.7	96.7	31	91.5	3.4
Ground Level (1.5m above the ground)					
Hotel 1	82.0	92.3	31	91.5	4.1
Hotel 2	83.3	93.6	31	91.5	4.1
Hotel 3	84.9	95.3	31	91.5	3.5
Ground Level (1.5m above the ground)					
Hotel 1	82.6	92.5	31	91.5	4.1

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Hotel 2	82.9	92.8	31	91.5	4.1
Hotel 3	84.4	94.3	31	91.5	3.5
Ground Level (1.5m above the ground)					
Hotel 1	82.5	92.1	31	91.5	4.2
Hotel 2	82.6	92.2	31	91.5	4.1
Hotel 3	84.0	93.6	31	91.5	3.5
Ground Level (1.5m above the ground)					
Hotel 1	82.2	91.6	31	91.5	4.2
Hotel 2	82.5	91.9	31	91.5	4.1
Hotel 3	83.7	93.1	31	91.5	3.5
Ground Level (1.5m above the ground)					
Hotel 1	82.0	91.2	31	91.5	4.2
Hotel 2	82.5	91.6	31	91.5	4.2
Hotel 3	83.5	92.8	31	91.5	3.5
Ground Level (1.5m above the ground)					
Hotel 1	81.8	90.9	31	91.5	4.3
Hotel 2	82.4	91.5	31	91.5	4.2
Hotel 3	83.4	92.5	31	91.5	3.6
Ground Level (1.5m above the ground)					
Hotel 1	81.7	90.6	31	91.5	4.3
Hotel 2	82.3	91.2	31	91.5	4.3
Hotel 3	83.3	92.3	31	91.5	3.6
Ground Level (1.5m above the ground)					
Hotel 1	81.6	90.4	31	91.5	4.3
Hotel 2	83.2	92.0	31	91.5	4.3

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Hotel 3	83.2	92.1	31	91.5	3.6
Ground Level (1.5m above the ground)					
Hotel 1	83.9	92.6	31	91.5	4.3
Hotel 2	85.5	94.3	31	91.5	4.3
Hotel 3	83.1	92.0	31	91.5	3.7
Ground Level (1.5m above the ground)					
Hotel 1	86.5	95.3	31	91.5	4.4
Hotel 2	90.5	99.2	31	91.5	4.3
Hotel 3	86.7	95.5	31	91.5	3.8
Ground Level (1.5m above the ground)					
Hotel 1	92.8	101.4	31	91.5	4.5
Hotel 2	94.6	103.2	31	91.5	4.8
Hotel 3	90.2	98.9	31	91.5	3.8
Ground Level (1.5m above the ground)					
Hotel 1	97.4	106.0	31	91.5	5.2
Hotel 2	98.0	106.6	31	91.5	5.3
Hotel 3	91.7	100.4	31	91.5	4.1
Ground Level (1.5m above the ground)					
Hotel 1	99.4	108.0	31	91.5	6.0
Hotel 2	101.5	110.1	31	91.5	6.3
Hotel 3	93.0	101.6	31	91.5	4.7
Ground Level (1.5m above the ground)					
Hotel 1	101.1	109.6	31	91.5	7.6
Hotel 2	101.9	110.5	31	91.5	7.8
Hotel 3	95.8	104.5	31	91.5	5.8

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Ground Level (1.5m above the ground)					
Hotel 1	104.6	113.1	31	91.5	8.2
Hotel 2	103.8	112.3	31	91.5	8.5
Hotel 3	97.3	105.9	31	91.5	6.1
Ground Level (1.5m above the ground)					
Hotel 1	106.0	114.4	31	91.5	8.7
Hotel 2	106.7	115.2	31	91.5	8.8
Hotel 3	99.4	107.9	31	91.5	6.5
Ground Level (1.5m above the ground)					
Hotel 1	105.6	114.1	31	91.5	9.1
Hotel 2	107.7	116.2	31	91.5	9.5
Hotel 3	99.5	108.1	31	91.5	6.7
Ground Level (1.5m above the ground)					
Hotel 1	106.7	115.1	31	91.5	9.4
Hotel 2	107.2	115.7	31	91.5	9.7
Hotel 3	99.4	107.9	31	91.5	6.7
Ground Level (1.5m above the ground)					
Hotel 1	107.4	115.8	31	91.5	9.5
Hotel 2	107.8	116.2	31	91.5	10.2
Hotel 3	99.6	108.1	31	91.5	6.9
Ground Level (1.5m above the ground)					
Hotel 1	107.3	115.7	31	91.5	9.9
Hotel 2	107.8	116.2	31	91.5	10.2
Hotel 3	99.5	108.0	31	91.5	7.2
Ground Level (1.5m above the ground)					

Receptor Name	NO_2 1-hour 99.8th Percentile Equivalent		PM_{10}		
	With Reduction	No Reduction	Number of Days Headroom	Equivalent Headroom Percentile	Concentration for relevant percentile
Hotel 1	107.0	115.4	31	91.5	10.0
Hotel 2	107.3	115.7	31	91.5	10.0
Hotel 3	99.2	107.7	31	91.5	7.2
Ground Level (1.5m above the ground)					
Hotel 1	106.0	114.4	31	91.5	9.7
Hotel 2	105.4	113.8	31	91.5	9.7
Hotel 3	100.2	108.6	31	91.5	7.2
Ground Level (1.5m above the ground)					
Hotel 1	105.0	113.3	31	91.5	9.4
Hotel 2	104.3	112.7	31	91.5	9.3
Hotel 3	100.5	109.0	31	91.5	7.7
Ground Level (1.5m above the ground)					
Hotel 1	102.6	110.9	31	91.5	8.9
Hotel 2	104.0	112.4	31	91.5	9.5
Hotel 3	108.4	116.9	31	91.5	9.7
Ground Level (1.5m above the ground)					
Hotel 1	114.7	123.1	31	91.5	18.8
Hotel 2	105.0	113.3	31	91.5	11.5
Hotel 3	120.0	128.4	31	91.5	13.9
Ground Level (1.5m above the ground)					
Hotel 1	176.6	185.0	31	91.5	43.1
Hotel 2	124.2	132.5	31	91.5	19.7
Hotel 3	127.6	136.0	31	91.5	17.8